For Research Use Only

## NFKB2 Monoclonal antibody, PBS Only

Catalog Number:66920-1-PBS Featured Product



**Purification Method:** 

Protein A purification

CloneNo.:

6A10E9

**Basic Information** 

Catalog Number: 66920-1-PBS

BC002844 GeneID (NCBI): Concentration: 1mg/ml 4791

ENSEMBL Gene ID: Source: Mouse ENSG00000077150 **UNIPROT ID:** Isotype: lgG1 Q00653 Immunogen Catalog Number: Full Name:

AG28543

nuclear factor of kappa light

polypeptide gene enhancer in B-cells

GenBank Accession Number:

2 (p49/p100) Calculated MW: 97 kDa Observed MW: 100 kDa

**Applications** 

**Tested Applications:** WB, IHC, ELISA Species Specificity: human

## **Background Information**

NF-kappa-B is a pleiotropic transcription factor which is present in almost all cell types and is involved in many biological processed such as inflammation, immunity, differentiation, cell growth, tumorigenesis and apoptosis. NFkappa-B is a homo- or heterodimeric complex formed by the Rel-like domain-containing proteins RELA/p65, RELB, NFKB1/p105, NFKB1/p50, REL and NFKB2/p52. NFKB2 appears to have dual functions such as cytoplasmic retention of attached NF-kappa-B proteins by p100 and generation of p52 by a cotranslational processing. The proteasome $mediated \ process \ ensures \ the \ production \ of \ both \ p52 \ and \ p100 \ and \ preserves \ their independent \ function. \ P52 \ binds$ to the kappa-B consensus sequence 5'-GGRNNYYCC-3', located in the enhancer region of genes involved in immune response and acute phase reactions. P52 and p100 are respectively the minor and major form; the processing of p100 being relatively poor. Isoform p49 is a subunit of the NF-kappa-B protein complex, which stimulates the HIV enhancer in synergy with p65.

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only


## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 66920-1-lg (NFKB2 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66920-1-PBS in a different storage buffer formulation.



N/A This data was developed using the same antibody clone with 66920-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 66920-1-lg (NFKB2 antibody) at dilution of 1:300 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66920-1-PBS in a different storage buffer formulation.