## For Research Use Only

# EPO/Erythropoietin Monoclonal antibody

Proteintech®
Antibodies | ELISA kits | Proteins
www.ptglab.com

Catalog Number: 66975-1-lg 4 Publications

**Basic Information** 

Catalog Number: 66975-1-Ig Size:

1500 ug/ml Source: Mouse Isotype: IgG2a

Immunogen Catalog Number: AG23054 GenBank Accession Number:

BC093628 GeneID (NCBI): 2056 UNIPROT ID: P01588

erythropoietin

Calculated MW:

193 aa, 21 kDa

Full Name:

Purification Method: Protein A purification

Protein A purificatio CloneNo.:

1A11F3

Recommended Dilutions: WB 1:5000-1:50000 IHC 1:50-1:500 IF/ICC 1:200-1:800

**Applications** 

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications:

WB

Species Specificity:

human

Cited Species: human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: recombinant human EPO (cat.NO. HZ-1168),

IHC: human liver tissue, IF/ICC: HeLa cells,

# **Background Information**

Erythropoietin (Epo) is a member of the EPO/TPO family and encodes a secreted, glycosylated cytokine composed of four alpha helical bundles. The protein is found in the plasma and regulates red cell production by promoting erythroid differentiation and initiating hemoglobin synthesis. Its effect is realized by binding erythropoietin receptor (EpoR) expressed on erythroid progenitor cells. EpoR, is a glycoprotein expressed on megakaryocytes, erythroid progenitors and endothelial cells. Epo also has neuroprotective activity against a variety of potential brain injuries and antiapoptotic functions in several tissue types.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Takeshi Ike	36074918	Am J Physiol Renal Physiol	WB
Meng Wang	34268128	Front Oncol	WB
Hari Prasad Osuru	35928940	Front Cardiovasc Med	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


### **Selected Validation Data**




50 ng recombinant human EPO (cat.NO. HZ-1168) was subjected to SDS-PAGE under reducing condition followed by western blot with 66975-1-lg (EPO antibody) at dilution of 1:10000.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 66975-1-Ig (EPO/Erythropoietin antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 66975-1 lg (EPO/Erythropoietin antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed Hela cells using EPO antibody (66975-1-lg, Clone: 1A11F3) at dilution of 1:400 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Mouse Recombinant Secondary Antibody (H+L) (RGAM002).