## For Research Use Only

## PREB Monoclonal antibody

Catalog Number: 66981-1-Ig



**Purification Method:** 

**Basic Information** 

Catalog Number: GenBank Accession Number:

66981-1-lg BC002765 Protein G purification Size: GenelD (NCBI): CloneNo.: 1700  $\mu$  g/ml 10113 2F6A1

 Source:
 UNIPROT ID:
 Recommended Dilutions:

 Mouse
 Q9HCU5
 WB 1:1000-1:6000

 Isotype:
 Full Name:
 IHC 1:150-1:600

IgG1 prolactin regulatory element binding

Immunogen Catalog Number: Calculated MW:

AG28549 45 kDa

Observed MW: 45 kDa

**Applications** 

Tested Applications: IHC, WB,ELISA
Species Specificity:

Human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Background Information** 

PREB contains two PQ-rich potential transactivation domains, but no apparent DNA-binding motif, and exhibits sequence-specific binding to Pit1-binding element of the prolactin (PRL) promoter. It may act as a transcriptional regulator and is thought to be involved in some of the developmental abnormalities observed in patients with partial trisomy 2p.

Positive Controls:

WB: Daudi cells, Raji cells, Ramos cells

IHC: human prostate cancer tissue,

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Daudi cells were subjected to SDS PAGE followed by western blot with 66981-1-1g (PREB antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 66981-1-1g (PREB antibody) at dilution of 1:300 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).