For Research Use Only

HSF1 Monoclonal antibody

Catalog Number:67189-1-lg Featured Product

1 Publications




Basic Information	Catalog Number: 67189-1-lg			Purification Method: Protein G purification	
	Size:	GenelD (NCBI):		CloneNo.:	
	2000 µ g/ml 3297 Source: UNIPROT ID:			1F10A5 Recommended Dilutions:	
	Mouse	Q00613		WB 1:20000-1:100000	
	lsotype: lgG1	Full Name: heat shock transcription factor 1		IHC 1:1000-1:4000	
	Immunogen Catalog Number:	Calculated MW:			
	AG29061	529 aa, 57 kDa			
		Observed MW: 68-80 kDa			
Applications	Tested Applications: Positive Controls:			ntrols:	
	IHC, WB, ELISA		WB : LNCaP cells, HeLa cells, HEK-293 cells, HepG2 cells, Jurkat cells, K-562 cells, HSC-T6 cells, NIH/3T3 cells		
	Cited Applications: IF, IHC				
	Species Specificity:		IHC : human breast cancer tissue, human ovary tumor tissue		
	Human, mouse, rat				
	Cited Species:				
	human Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
					Background Information
Notable Publications	Author	Pubmed ID Journ	al	Application	
	Qiuman Lin	33122521 Pancre	eas	IHC,IF	
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20	d 50% glycerol pH 7.3.			

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data


control.




Various lysates were subjected to SDS PAGE followed by western blot with 67189-1-1g (HSF1 antibody) at dilution of 1:50000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Beta Actin Monoclonal antibody (HRP-66009) as loading control



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 67189-1-1g (HSF1 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 67189-1-1g (HSF 1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



WB result of HSF1 antibody (67189-1-lg; 1:30000; incubated at room temperature for 1.5 hours) with sh-Control and sh-HSF1 transfected HeLa cells.