For Research Use Only

KIF20A Monoclonal antibody

Catalog Number:67190-1-lg Featured Product

9 Publications



Basic Information

Catalog Number: GenBank Accession Number: 67190-1-lg BC012999 GeneID (NCBI): Size: 1000 ug/ml 10112 **UNIPROT ID:** Source: Mouse 095235 Isotype: Full Name:

lgG1 kinesin family member 20A

Calculated MW: Immunogen Catalog Number: AG8916 890 aa, 100 kDa

> Observed MW: 100 kDa

Protein A purification CloneNo.: 2A8E3

Purification Method:

Recommended Dilutions: WB 1:5000-1:50000 IHC 1:200-1:800

Applications

Tested Applications: WB, IHC, ELISA **Cited Applications:** WB, IHC, IF Species Specificity: human, mouse, rat Cited Species:

buffer pH 6.0

human, mouse Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen

retrieval may be performed with citrate

Positive Controls:

WB: HepG2 cells, HeLa cells, MG-63 cells, HEK-293 cells, Jurkat cells, HL-60 cells, HSC-T6 cells, PC-12 cells, NIH/3T3 cells, BT-549 cells, MDA-MB-468 cells

IHC: human breast cancer tissue, human pancreas cancer tissue

Background Information

KIF20A, also known as RAB6KIFL or MKlp2, is a kinesin originally identified as a binding partner for the rab6 GTPase involved in protein transport at the Golgi apparatus. KIF20A belongs to a large family of motor proteins that accumulate in mitotic cells and is required for normal cell division. KIF20A is thought to be involved in carcinogenesis. In normal tissues KIF20A is almost undetectable while it is overexpressed in various cancers. KIF20A has been identified as a novel promising candidate for anticancer immunotherapy.

Notable Publications

Author	Pubmed ID	Journal	Application
Bingteng Xie	35648393	Cancer Res	IF
Leelabati Biswas	39006445	medRxiv	IF
Dingfeng Zou	38657611	Dev Cell	WB

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67190-1-1g (KIF20A antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67190-1-Ig (KIF20A antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67190-1-Ig (KIF20A antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



WB result of KIF20A antibody (67190-1-Ig; 1:10000; incubated at room temperature for 1.5 hours) with sh-Control and sh-KIF20A transfected HeLa cells.