

For Research Use Only

CDC42 Monoclonal antibody

Catalog Number: 67212-1-Ig



Basic Information

Catalog Number:

67212-1-Ig

Size:

1000 µg/ml

Source:

Mouse

Isotype:

IgM

Immunogen Catalog Number:

AG28550

GenBank Accession Number:

BC002711

GeneID (NCBI):

998

UNIPROT ID:

P60953

Full Name:

cell division cycle 42 (GTP binding protein, 25kDa)

Calculated MW:

21 kDa

Observed MW:

21 kDa

Purification Method:

Caprylic acid/ammonium sulfate precipitation

CloneNo.:

2G5E8

Recommended Dilutions:

WB 1:5000-1:20000

Applications

Tested Applications:

WB, ELISA

Species Specificity:

Human, mouse, rat

Positive Controls:

WB: HeLa cells, rat brain tissue, mouse cerebellum tissue, HEK-293 cells, MCF-7 cells, Jurkat cells, HSC-T6 cells, NIH/3T3 cells, mouse brain tissue

Background Information

Cdc42, the human homologue of the cell division cycle 42 of *Saccharomyces cerevisiae*, belongs to the Rho/Rac subfamily of Ras-like GTPases. It acts as molecular switches to regulate numerous cellular responses including the organization of the actin cytoskeleton, gene transcription, cell cycle progression, and membrane trafficking

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.1% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67212-1-Ig (CDC42 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 67212-1-Ig (CDC42 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



mouse cerebellum tissue were subjected to SDS PAGE followed by western blot with 67212-1-Ig (CDC42 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.