

For Research Use Only

PSMD9 Monoclonal antibody

Catalog Number: 67338-1-Ig

Featured Product

1 Publications



Basic Information

Catalog Number:

67338-1-Ig

Size:

1600 µg/ml

Source:

Mouse

Isotype:

IgG1

Immunogen Catalog Number:

AG25654

GenBank Accession Number:

BC004213

GeneID (NCBI):

5715

UNIPROT ID:

O00233

Full Name:

proteasome (prosome, macropain)
26S subunit, non-ATPase, 9

Calculated MW:

27 kDa

Observed MW:

30 kDa

Purification Method:

Protein A purification

CloneNo.:

1H2G1

Recommended Dilutions:

WB 1:2000-1:10000

IHC 1:400-1:1600

IF 1:200-1:800

Applications

Tested Applications:

IF/ICC, IHC, WB, ELISA

Cited Applications:

WB, IF, IHC

Species Specificity:

Human, Mouse, Rat

Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: A549 cells, HEK-293 cells, NIH/3T3 cells, HSC-T6 cells, K-562 cells, Jurkat cells, LNCaP cells, HeLa cells, 4T1 cells, HepG2 cells

IHC: human cervical cancer tissue,

IF: U2OS cells, HeLa cells

Background Information

PSMD9 is a ubiquitous protein of eukaryotic cells and is a chaperon of the 26S proteasome complex, which degrades ubiquitinated proteins in eukaryotic cells and contributes to the degradation of intracellular proteins into antigenic peptides for antigen presentation by MHC class I cells. The 26S mammalian base sub-complex involves three distinct modules which have ATPase subunits distinctly associated to three chaperones, one of which is PSMD9 regulating the modules assembly. The PSMD9 ubiquitous regulatory role within the proteasome implies its potential pleiotropic effects within different physio-pathological systems. PSMD9 is known to form a stable subcomplex with PSMC3 and PSMC6, two of the AAA-ATPases, assisting in the assembly of the 20S and 19S particles to form the holo complex.

Notable Publications

Author	Pubmed ID	Journal	Application
Yaquan Li	37485655	CNS Neurosci Ther	WB,IHC,IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67338-1-Ig (PSMD9 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.




WB result of PSMD9 antibody (67338-1-Ig; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-PSMD9 transfected A549 cells.



Immunohistochemical analysis of paraffin-embedded human cervical cancer tissue slide using 67338-1-Ig (PSMD9 antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human cervical cancer tissue slide using 67338-1-Ig (PSMD9 antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed U2OS cells using PSMD9 antibody (67338-1-Ig, Clone: 1H2G1) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), CL594-phalloidin (red).