For Research Use Only

UBAC1 Monoclonal antibody, PBS Only

Catalog Number:67385-1-PBS



Basic Information

Catalog Number:

GenBank Accession Number: BC004967

Purification Method: Protein G purification

67385-1-PBS

GeneID (NCBI):

CloneNo.:

Size: 1mg/ml Source:

10422 UNIPROT ID: Q9BSL1 2A3G7

Mouse Isotype:

Full Name: UBA domain containing 1

IgG1
Immunogen Catalog Number:

Calculated MW:

AG13958 405 aa, 45 kDa

Observed MW: 46 kDa

Applications

Tested Applications:

WB, IF/ICC, Indirect ELISA

Species Specificity:

human, mouse, rat, pig, rabbit

Background Information

UBAC1(Ubiquitin-associated domain-containing protein 1) is also named as GBDR1, KPC2, UBADC1. It has several putative phosphorylation sites, including 8 CK2 (see 115440) sites, as well as 1 N-glycosylation site and 2 N-myristoylation sites(PMID:10857748). It is required for poly-ubiquitination and proteasome-mediated degradation of CDKN1B during G1 phase of the cell cycle. Northern blot analysis shows UBAC1 expression with the highest levels in heart and skeletal muscle and lowest level in lung.

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67385-1-lg (UBAC1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 67385-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using UBAC1 antibody (67385-1-lg, Clone: 2A3G7) at dilution of 1:800 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) (5A00013-1). This data was developed using the same antibody clone with 67385-1-PBS in a different storage buffer formulation.