## For Research Use Only

## SOX9 Monoclonal antibody, PBS Only

Catalog Number:67439-1-PBS Featured Product



**Basic Information** 

Catalog Number:

GenBank Accession Number:

**Purification Method:** 

67439-1-PBS

BC007951

Protein A purification

Size: 1mg/ml GeneID (NCBI): 6662

CloneNo.: 1H9A6

Source:

**UNIPROT ID:** P48436 Full Name:

Mouse Isotype: lgG1

SRY (sex determining region Y)-box 9

Immunogen Catalog Number:

Calculated MW: 509 aa, 56 kDa

AG28620

Observed MW: 56 kDa

**Applications** 

**Tested Applications:** 

WB, FC (Intra), ELISA

Species Specificity:

human, mouse

## **Background Information**

SOX9, also named as Transcription factor SOX-9, is a 509 amino acid protein. Sex-determining region Y (SRY)-box 9 protein (SOX9) is a member of the SOX family of transcription factors (TFs) which are developmental regulators that possess high mobility group (HMG) box DNA binding and transactivation domains. It participates in a variety of functions, such as lineage restriction and terminal diferentiation, through precise temporal and spatial expression patterns that difer between particular cell types and tissues. SOX9 gene has been implicated in different types of cancer as an oncogene; however, it also may behave as a tumor suppressor.

Storage


Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C


Storage Buffer:

PBS Only


## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67439-1-lg (SOX9 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 67439-1-PBS in a different storage buffer formulation.



human placenta tissue were subjected to SDS PAGE followed by western blot with 67439-1-lg (SOX9 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67439-1-PBS in a different storage buffer formulation.



1X10^6 HeLa cells were intracellularly stained with 0.4 ug Anti-Human SOX9 (67439-1-lg, Clone:1H9A6) and CoraLite@488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Mouse IgG1 Isotype Control (MOPC-21) (65124-1-lg, Clone: MOPC-21) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011). This data was developed using the same antibody clone with 67439-1-PBS in a

