### For Research Use Only

# HNRNPA2B1 Monoclonal antibody

Source:

Catalog Number:67445-1-lg Featured Product

5 Publications

BC000506

3181

GeneID (NCBI):



**Basic Information** 

Catalog Number: 67445-1-lg Concentration: 1800 µg/ml

**UNIPROT ID:** Mouse P22626 Isotype: Full Name: IgG2a heterogeneous nuclear

Immunogen Catalog Number:

AG6699

Calculated MW: 37 kDa

ribonucleoprotein A2/B1

GenBank Accession Number:

Observed MW: 36 kDa

**Purification Method:** 

Protein A purification

CloneNo.: 3H6F7

Recommended Dilutions:

WB 1:5000-1:50000 IHC 1:8000-1:32000 IF/ICC 1:400-1:1600

**Applications** 

**Tested Applications:** WB, IHC, IF/ICC, ELISA **Cited Applications:** WB, IHC, IF, RIP Species Specificity: Human, mouse, rat

**Cited Species:** human, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: LNCaP cells, HeLa cells, A549 cells, HEK-293 cells, HepG2 cells, Jurkat cells, K-562 cells, HSC-T6 cells,

NIH/3T3 cells, 4T1 cells

IHC: human colon tissue, human lung cancer tissue

IF/ICC: U2OS cells,

# **Background Information**

HnRNPA2B1 is one of heterogenous nuclear ribonucleoproteins (HnRNPs), which regulate the splicing and transportation of mRNA and participate in carcinogenesis. It has a role in packaging nascent mRNA, alternative splicing, tycoplamic RNA trafficking, translation and stabilization. Besides it may involve in telomere maintenance, cell proliferation and differentiation, and glucose transport.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Belinda J Petri	34273466	Cancer Lett	WB
Mengqi Chu	33509274	Stem Cell Res Ther	WB
Shaojun Chu	39748192	Clin Transl Med	WB,RIP

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 67445-1-lg (HNRNPA2B1 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



WB result of HNRNPA2B1 antibody (67445-1-Ig; 1:60000; incubated at room temperature for 1.5 hours) with sh-Control and sh-HNRNPA2B1 transfected A549 cells.




Immunofluorescent analysis of (4% PFA) fixed U2OS cells using HNRNPA2B1 antibody (67445-1-Ig, Clone: 3H6F7) at dilution of 1:800 and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L), CL594-phalloidin (red).



Immunohistochemical analysis of paraffinembedded human colon tissue slide using 67445-1-1g (HNRNPA2B1 antibody) at dilution of 1:16000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed U2OS cells using HNRNPA2B1 antibody (67445-1-Ig, Clone: 3H6F7) at dilution of 1:800 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L).



Various lysates were subjected to SDS PAGE followed by western blot with 67445-1-lg (HNRNPA2B1 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.