

For Research Use Only

PRDX6 Monoclonal antibody, PBS Only

Catalog Number: 67499-1-PBS

Featured Product



Basic Information

Catalog Number:

67499-1-PBS

Size:

1000 ug/ml

Source:

Mouse

Isotype:

IgG2a

Immunogen Catalog Number:

AG4727

GenBank Accession Number:

BC035857

GeneID (NCBI):

9588

UNIPROT ID:

P30041

Full Name:

peroxiredoxin 6

Calculated MW:

224 aa, 25 kDa

Observed MW:

25-30 kDa

Purification Method:

Protein A purification

CloneNo.:

3C12D3

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, Indirect ELISA

Species Specificity:

human, pig

Background Information

PRDX6 (Peroxiredoxin-6), also named as AOP2 or KIAA0106, is a unique member of the peroxiredoxin family of antioxidants. PRDX6 is highly expressed in liver and protects cells from oxidative damage by reducing H₂O₂ and various lipid Peroxides (PMID: 17382207). It can form a dimer (PMID: 20500660). PRDX6 is expressed in all major organs, with a particularly high level in lung (PMID: 15890616). Prdx6 is detected at approximately 24 to 28 kDa, and can be monosumoylated with the molecular mass of about 40 kDa (PMID: 24910119).

Storage

Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS Only

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67499-1-Ig (PRDX6 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 67499-1-PBS in a different storage buffer formulation.




HAP1 and HeLa (WT and PRDX6 KO) lysates prepared with RIPA buffer, 25ug protein loaded. 67499-1-Ig incubated at 1:1000 at 4°C overnight in 5% BSA in TBST. Ponceau stained transfers shown on right. Data provided by YCharOS, an open science company with a mission to validate commercial antibodies to improve scientific reproducibility and transparency. This data was developed using the same antibody clone with 67499-1-PBS in a different storage buffer formulation.





WB result of PRDX6 antibody (67499-1-Ig; 1:20000; incubated at room temperature for 1.5 hours) with sh-Control and sh-PRDX6 transfected HeLa cells. This data was developed using the same antibody clone with 67499-1-PBS in a different storage buffer formulation.




HAP1 lysates prepared and IP of peroxidoxin 6 performed using 2.0 μ g of 67499-1-Ig coupled to protein G- Sepharose beads. Ponceau stained transfers shown for each blot. Data provided by YCharOS, an open science company with a mission to validate commercial antibodies to improve scientific reproducibility and transparency. This data was developed using the same antibody clone with 67499-1-PBS in a different storage buffer formulation.



HAP1 WT cells (yellow outline) and PRDX6 KO cells (red outline) labelled with a green or a far red fluorescence dye, respectively. Cells fixed with 4% PFA and stained with 67499-1-Ig at 1:1000 plus DAPI. Data provided by YCharOS, an open science company with a mission to validate commercial antibodies to improve scientific reproducibility and transparency. This data was developed using the same antibody clone with 67499-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded human liver tissue slide using 67499-1-Ig (PRDX6 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67499-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using PRDX6 antibody (67499-1-Ig, Clone: 3C12D3) at dilution of 1:800 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), CL594-phalloidin (red). This data was developed using the same antibody clone with 67499-1-PBS in a different storage buffer formulation.