

For Research Use Only

# PDS5A Monoclonal antibody

Catalog Number: 67520-1-Ig

Featured Product



## Basic Information

Catalog Number:

67520-1-Ig

Concentration:

1000 ug/ml

Source:

Mouse

Isotype:

IgG1

Immunogen Catalog Number:

AG11525

GenBank Accession Number:

BC009650

GeneID (NCBI):

23244

UNIPROT ID:

Q29RF7

Full Name:

PDS5, regulator of cohesion maintenance, homolog A (S. cerevisiae)

Calculated MW:

1297 aa, 147 kDa

Observed MW:

130 kDa

Purification Method:

Protein G purification

CloneNo.:

1C8D4

Recommended Dilutions:

WB 1:1000-1:8000

IHC 1:200-1:800

IF/ICC 1:500-1:2000

## Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Species Specificity:

human, mouse, rat

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

Positive Controls:

WB : HeLa cells, HEK-293 cells, Jurkat cells, K-562 cells, HSC-T6 cells, NIH/3T3 cells

IHC : human breast cancer tissue,

IF/ICC : A431 cells, HepG2 cells

## Background Information

### Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67520-1-Ig (PDS5A antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 67520-1-Ig (PDS5A antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



WB result of PDS5A antibody (67520-1-Ig; 1:8000; incubated at room temperature for 1.5 hours) with sh-Control and sh-PDS5A transfected HeLa cells.



Immunofluorescent analysis of (4% PFA) fixed A431 cells using PDS5A antibody (67520-1-Ig, Clone: 1C8D4) at dilution of 1:1000 and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L) (SA00013-1), CL594-Phalloidin (red).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using PDS5A antibody (67520-1-Ig, Clone: 1C8D4) at dilution of 1:1000 and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L) (SA00013-1), CL594-Phalloidin (red).