For Research Use Only

GRP75 Monoclonal antibody

Catalog Number:67563-1-lg




Basic Information	Catalog Number: 67563-1-lg	GenBank Accession Number BC000478	Purification Method: Protein A purification
	Concentration: 1000 ug/ml	GeneID (NCBI): 3313	CloneNo.: 2B12F2
	Source: Mouse Isotype: IgG2a	UNIPROT ID: P38646 Full Name: heat shock 70kDa protein 9 (morta	Recommended Dilutions: WB 1:2000-1:10000
			IHC 1:500-1:2000 mortalin)
	Immunogen Catalog Number: AG7125	Calculated MW: 74 kDa	
		Observed MW: 75 kDa	
Applications	WB, IHC, ELISA WB : He Species Specificity: cells, Ju		ive Controls:
			WB : HeLa cells, HepG2 cells, HEK-293 cells, MCF-7 cells, Jurkat cells, K-562 cells, HSC-T6 cells, 4T1 cells NIH/3T3 cells
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0		human breast cancer tissue,
Background Information	GRP75 (also known as mortalin, HSPA9 or mt-Hsp70) is a constitutively expressed member of the HSPA (HSP70) family of heat-shock proteins. It is located in the mitochondrial matrix and anti-GRP75 is commonly used as the marker for mitochondria. It has been reported that GRP75 is enriched in cancer cells and contributes to carcinogenesis. In addition, decreased expression level of GRP75 has been found in neurodegenerative disorders like Parkinson's disease. (PMID: 21640711, 229209024)		
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	I 50% glycerol, pH7.3	


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data







Various lysates were subjected to SDS PAGE followed by western blot with 67563-1-1g (GRP75 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67563-1-1g (GRP75 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67563-1-1g (GRP75 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).