### For Research Use Only

# COL5A1 Monoclonal antibody

Catalog Number:67604-1-lg 9 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 67604-1-lg NM\_000093 Concentration: GeneID (NCBI): 1000 ug/ml 1289 **UNIPROT ID:** Source: Mouse P20908 Full Name: Isotype: lgG1 collagen, type V, alpha 1

> Calculated MW: 184 kDa Observed MW: 220 kDa

Purification Method: Protein A purification

CloneNo.:

2C2C2 Recommended Dilutions: WB 1:5000-1:50000 IHC 1:500-1:2000

IF/ICC 1:400-1:1600

**Applications** 

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC, IF Species Specificity: human, mouse, rat, pig

Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### Positive Controls:

WB: HT-1080 cells, mouse colon tissue, HeLa cells, pig colon tissue, rat colon tissue, Saos-2 cells, SiHa cells

IHC: human breast cancer tissue,

IF/ICC: U2OS cells,

## **Background Information**

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Meng-Han Zhang	36273780	Respir Physiol Neurobiol	WB
Zongfu Pan	36192735	Mol Cancer	WB,IHC,IF
Yinan Chen	34976220	Theranostics	IF

Storage

Storage:


Store at -20°C. Stable for one year after shipment. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol Aliquoting is unnecessary for -20°C storage


### Selected Validation Data




HT-1080 cells were subjected to SDS PAGE followed by western blot with 67604-1-1g (Collagen Type V antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67604-1-Ig (Collagen Type V antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67604-1-Ig (Collagen Type V antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 67604-1-1g (Collagen Type V antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 67604-1-1g (Collagen Type V antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed U2OS cells using Collagen Type V antibody (67604-1-lg, Clone: 2C2C2) at dilution of 1:800 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L) (SA00013-1).