## For Research Use Only

## ICAM2/CD102 Monoclonal antibody

Catalog Number: 67628-1-Ig



**Purification Method:** 

Protein A purification

Recommended Dilutions:

WB 1:1000-1:6000 IF/ICC 1:995-1:3982

CloneNo.:

1H3C6

**Basic Information** 

Catalog Number: GenBank Accession Number: BC003097

67628-1-lg GeneID (NCBI): Size: 1991 ug/ml 3384 **UNIPROT ID:** Source:

Mouse P13598 Full Name: Isotype:

lgG2a intercellular adhesion molecule 2

Immunogen Catalog Number: Calculated MW: AG29441 31 kDa

Observed MW: 55-60 kDa

**Applications** 

**Tested Applications: Positive Controls:** WB, IF/ICC, ELISA WB: human peripheral blood platelets, Jurkat cells

Species Specificity: IF/ICC: HUVEC cells,

human

## **Background Information**

ICAM2 is a cell adhesion protein having important roles in cell migration, especially during inflammation when leukocytes cross the endothelium. Initially described as a receptor for lymphocyte function-associated antigen-1 (LFA1), ICAM2 may play a role in lymphocyte recirculation by blocking LFA-1-dependent cell adhesion. It mediates adhesive interactions important for antigen-specific immune response, NK-cell mediated clearance, lymphocyte recirculation, and other cellular interactions important for immune response and surveillance.

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## **Selected Validation Data**



human peripheral blood platelets were subjected to SDS PAGE followed by western blot with 67628-1-lg (ICAM2 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed HUVEC cells using ICAM2/CD102 antibody (67628-1-lg, Clone: 1H3C6) at dilution of 1:1991 and MultirAb CoraLite® Plus 594-Goat Anti-Mouse Recombinant Secondary Antibody (H+L) (Cat.NO. RGAM004).