For Research Use Only

GSTT1 Monoclonal antibody, PBS Only

Size: 1 mg/ml



Purification Method:

Protein A purification

CloneNo.:

1A4C11

Catalog Number: 67645-1-PBS

Basic Information

Catalog Number: 67645-1-PBS

BC007065

GeneID (NCBI): 2952

GenBank Accession Number:

Source: UNIPROT ID:
Mouse P30711
Isotype: Full Name:

IgG2b glutathione S-transferase theta 1

Immunogen Catalog Number:Calculated MW:AG8573240 aa, 27 kDaObserved MW:

28 kDa, 30 kDa

Applications

Tested Applications: WB, IF, IHC, Indirect ELISA

Species Specificity: Human, pig, mouse

Background Information

GSTT1 belongs to the GST superfamily and Theta family. It is a conjugation of reduced glutathione to a wide number of exogenous and endogenous hydrophobic electrophiles. GSTT1 acts on 1,2-epoxy-3-(4-nitrophenoxy)propane, phenethylisothiocyanate 4-nitrobenzyl chloride and 4-nitrophenethyl bromide. It displays glutathione peroxidase activity with cumene hydroperoxide. GSTM1 and GSTT1 has been suggested as a risk factor in various cancers. GSTT1 is important in the detoxification of unidentified xenobiotics in the large intestine.

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only


Selected Validation Data




Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 67645-1-Ig (GSTT1 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67645-1-PBS in a different storage buffer formulation.




Various lysates were subjected to SDS PAGE followed by western blot with 67645-1-lg (GSTT1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67645-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 67645-1-Ig (GSTT1 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67645-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse liver tissue using GSTT1 antibody (67645-1-Ig, Clone: 1A4C11) at dilution of 1:400 and CoraLite@488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) (SA00013-1). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67645-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse liver tissue using GSTT1 antibody (67645-1-lg, Clone: 1A4C11) at dilution of 1:400 and CoraLite® 488-Conjugated Affini Pure Goat Anti-Mouse IgG(H+L) (SA00013-1). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67645-1-PBS in a different storage buffer formulation.