For Research Use Only

HNRNPF Monoclonal antibody, PBS Only



Purification Method:

Protein A purification

CloneNo.:

2E7A4

Catalog Number:67701-1-PBS

Featured Product

Basic Information

Catalog Number: 67701-1-PBS

Size: 1 mg/ml Source: Mouse Isotype: lgG1

Immunogen Catalog Number:

AG7128

Tested Applications:

Species Specificity:

Applications

WB,Indirect ELISA,IF

Human, mouse, rat

Background Information

HNRNPF, also named as Heterogeneous nuclear ribonucleoprotein F, is a 415 amino acid portein, which contains 3 $RRM \ (RNA\ recognition\ motif)\ domains.\ HNRNPF\ is\ expressed\ ubiquitously\ in\ various\ tissues\ and\ localizes\ in\ the$ nucleus. HNRNPF is a component of the heterogeneous nuclear ribonucleoprotein (hnRNP) complexes which provide the substrate for the processing events that pre-mRNAs undergo before becoming functional, translatable mRNAs in the cytoplasm. HNRNPF plays a role in the regulation of alternative splicing events.

GenBank Accession Number:

BC001432

3185

P52597

GeneID (NCBI):

UNIPROT ID:

Full Name:

Calculated MW: 46 kDa Observed MW: 46 kDa

heterogeneous nuclear ribonucleoprotein F

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C Storage Buffer:

PBS Only

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67701-1-1g (HNRNPF antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 67701-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using HNRNPF antibody (67701-1-lg, Clone: 2E7A4) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), CL594-Phalloidin (red). This data was developed using the same antibody clone with 67701-1-PBS in a different storage buffer formulation.