For Research Use Only

CD4 Monoclonal antibody

Catalog Number:67786-1-lg 75 Publications



Basic Information

Catalog Number: 67786-1-lg

Concentration: GeneI D (NCBI): 1000 ug/ml 920

Mouse ENSG0000010610
Isotype: UNIPROT ID:
IgG1 P01730
Immunogen Catalog Number: Full Name:
AG30870 CD4 molecule

Calculated MW: 55 kDa

BC025782

ENSEMBL Gene ID:

GenBank Accession Number:

Purification Method:

Protein A purification CloneNo.:

2H4A2

Recommended Dilutions: IHC 1:450-1:1800 IF-P 1:200-1:800

Applications

Tested Applications: IHC, IF-P, ELISA Cited Applications:

IHC, IF

Source:

Species Specificity:

human
Cited Species:
human, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

IHC: human tonsillitis tissue, human colon tissue, human liver tissue, human thymus tissue

IF-P: human tonsillitis tissue,

Background Information

CD4 is a 55-kDa transmembrane glycoprotein expressed on T helper cells, majority of thymocytes, monocytes, macrophages, and dendritic cells (PMID: 9304802; 12213222). CD4 is an accessory protein for MHC class-II antigen/T-cell receptor interaction. It plays an important role in T helper cell development and activation (PMID: 9539765; 3112582). CD4 serves as a receptor for the human immunodeficiency virus (HIV) (PMID: 9304802).

Notable Publications

Author	Pubmed ID	Journal	Application
Chun-Hu Wang	34553702	Chin Med J (Engl)	IHC
Qi Tian	36159822	Front Immunol	IF
Maolin Wang	34858817	Front Oncol	IHC

Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3 $\,$

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 67786-1-1g (CD4 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 67786-1-1g (CD4 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using CD4 antibody (67786-1-Ig, Clone: 2H4A2) at dilution of 1:400 and CoraLite® 488-Conjugated Affini Pure Goat Anti-Mouse IgG(H+L).