For Research Use Only

Desmin Monoclonal antibody

Catalog Number:67793-1-lg 8 Publications



Basic Information

Catalog Number: GenBank Accession Number: 67793-1-Ig BC032116
Size: GeneID (NCBI):

 1000 ug/ml
 1674

 Source:
 UNIPROT ID:

 Mouse
 P17661

 Isotype:
 Full Name:

 IgG1
 desmin

Immunogen Catalog Number: Calculated MW:
AG9675 470 aa, 54 kDa
Observed MW:

52 kDa

Purification Method: Protein G purification

CloneNo.:

2B1A11

Recommended Dilutions: WB 1:5000-1:50000 IHC 1:1000-1:4000 IF-P 1:200-1:800

Applications

Tested Applications: WB, IHC, IF-P, ELISA Cited Applications:

WB, IF

Species Specificity: human, mouse, pig Cited Species: mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: pig heart tissue, mouse skeletal muscle tissue, mouse testis tissue, pig skeletal muscle, pig colon

IHC: human colon tissue, human placenta tissue, human rectal cancer tissue, mouse skeletal muscle tissue

IF-P: human colon tissue, human appendicitis tissue, mouse skeletal muscle tissue

Background Information

Desmin is the main intermediate filament protein in skeletal and cardiac muscle cells and is essential for both the structural integrity and the survival of muscle cells. As an abundant muscle-specific protein, desmin has been widely used as a marker of muscle derived tumors. Anti-desmin is also valuable in the differential diagnosis of tumors of uncertain origin.

Notable Publications

Author	Pubmed ID	Journal	Application
Zongren Hu	36571651	Mol Cell Biochem	WB,IF
Weifeng Hu	34921827	Exp Cell Res	IF
Yingzheng Weng	35451888	DNA Cell Biol	IF

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Immunofluorescent analysis of (4% PFA) fixed human colon tissue using Desmin antibody (67793-1-lg, Clone: 2B1A11) at dilution of 1:400 and CoraLite®488-Conjugated Affini Pure Goat Anti-Mouse IgG(H+L). DAPI (blue).




Various lysates were subjected to SDS PAGE followed by western blot with 67793-1-1g (Desmin antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control



Immunohistochemical analysis of paraffinembedded human colon tissue slide using 67793-1-1g (Desmin antibody) at dilution of 1:2000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 67793-1-lg (Desmin antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 67793-1-lg (Desmin antibody) at dilution of 1:2000 (under 20x Lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).


Immunohistochemical analysis of paraffinembedded human rectal cancer tissue slide using 67793-1-lg (Desmin antibody) at dilution of 1:2000 (under 4x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human colon tissue slide using 67793-1-lg (Desmin antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon tissue slide using 67793-1-1g (Desmin antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed human appendicitis tissue using Desmin antibody (67793-1-Ig, Clone: 2B1A11) at dilution of 1:400 and CoraLite® 488-Conjugated Affini Pure Goat Anti-Mouse IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed mouse skeletal muscle tissue using Desmin antibody (67793-1-Ig, Clone: 2B1A11) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).