For Research Use Only

Desmin Monoclonal antibody, PBS Only proteintech

Catalog Number:67793-1-PBS


Basic Information	Catalog Number: 67793-1-PBS	GenBank Accession Number: BC032116	Purification Method: Protein G purification
	Size:	GenelD (NCBI):	CloneNo.: 2B1A11
	1mg/ml Source: Mouse	1674 UNIPROT ID: P17661	261411
	Isotype: IgG1	Full Name: desmin	
	Immunogen Catalog Number: AG9675	Calculated MW: 470 aa, 54 kDa	
		Observed MW: 52 kDa	
Applications	Tested Applications: WB, IHC, IF-P, Indirect ELISA		
	Species Specificity: human, mouse, pig		
Background Informatior	Desmin is the main intermediate filament protein in skeletal and cardiac muscle cells and is essential for both the structural integrity and the survival of muscle cells. As an abundant muscle-specific protein, desmin has been widely used as a marker of muscle derived tumors. Anti-desmin is also valuable in the differential diagnosis of tumors of uncertain origin.		
Storage	Storage: Store at -80°C. The product is shipped with ice pa Storage Buffer:	icks. Upon receipt, store it immediatel	y at -80°C

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Antibodies | ELISA kits | Proteins


Selected Validation Data




Immunofluorescent analysis of (4% PFA) fixed human colon tissue using Desmin antibody (67793-1-lg, Clone: 2B1A11) at dilution of 1:400 and CoraLite@488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). DAPI (blue). This data was developed using the same antibody clone with 67793-1-PBS in a different storage buffer formulation.




Various lysates were subjected to SDS PAGE followed by western blot with 67793-1-1g (Desmin antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 67793-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human colon tissue slide using 67793-1-Ig (Desmin antibody) at dilution of 1:2000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67793-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 67793-1-1g (Desmin antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67793-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 67793-1-1g (Desmin antibody) at dilution of 1:2000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67793-1-PBS in a different storage buffer formulation.


Immunohistochemical analysis of paraffinembedded human rectal cancer tissue slide using 67793-1-1g (Desmin antibody) at dilution of 1:2000 (under 4x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67793-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human colon tissue slide using 67793-1-Ig (Desmin antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67793-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human colon tissue slide using 67793-1-Ig (Desmin antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67793-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed human appendicitis tissue using Desmin antibody (67793-1-1g, Clone: 2B1A11) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 67793-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed mouse skeletal muscle tissue using Desmin antibody (67793-1-Ig, Clone: 2B1A11) at dilution of 1:400 and Coralite@488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 67793-1-PBS in a different storage buffer formulation.