For Research Use Only

USP11 Monoclonal antibody

Catalog Number:67805-1-lg Featured Product



Basic Information

Catalog Number: GenBank Accession Number: 67805-1-Ig BC000350

Size: Genel D (NCBI): 1000 ug/ml 8237

Source: UNIPROT ID: Mouse P51784
Isotype: Full Name:

lgG1 ubiquitin specific peptidase 11

Immunogen Catalog Number:Calculated MW:AG19058963 aa, 110 kDa

Observed MW: 110 kDa Protein G purification CloneNo.:

2G6E7

Purification Method:

Recommended Dilutions: WB 1:5000-1:50000 IHC 1:250-1:1000 IF/ICC 1:200-1:800

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Species Specificity:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HCT 116 cells, HEK-293 cells, HeLa cells, Jurkat cells, K-562 cells, Ramos cells, Daudi cells

IHC: rat testis tissue, human stomach cancer tissue

IF/ICC: HepG2 cells,

Background Information

USP11(Ubiquitin carboxyl-terminal hydrolase 11), also named as UHX1, is a deubiquitinating enzyme controling many intracellular processes, including cell cycle progression, transcriptional activation, and signal transduction. There are four bands of 120 kDa, 55 kDa, 50 kDa and 44 kDa to be detected in HeLa extract by western blot and the smaller proteins may be degradation products, some other spliced products could possibly correspond to the smaller proteins and possess functions(PMID:12084015). This protein belongs to the peptidase C19 family.

Storage

Storage:


Store at -20 °C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67805-1-lg (USP11 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



WB result of USP11 antibody (67805-1-Ig; 1:30000; incubated at room temperature for 1.5 hours) with sh-Control and sh-USP11 transfected HEK-293 cells.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using USP11 antibody (67805-1-lg, Clone: 2G6E7) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 67805-1-Ig (USP11 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Immunohistochemical analysis of paraffinembedded rat testis tissue slide using 67805-1-lg (USP11 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).