For Research Use Only

VAMP2 Monoclonal antibody

Catalog Number:67822-1-lg 1 Publications



Basic Information

Catalog Number: 67822-1-lg

Source:

Mouse

g BC002737
GeneID (NCBI):
6844
UNIPROT ID:

 Isotype:
 UNIPROT ID

 IgG3
 P63027

 Immunogen Catalog Number:
 Full Name:

AG17908 vesicle-associated membrane protein IF/ICC: 1:200-1:800 2 (synaptobrevin 2)

Calculated MW: 13 kDa Observed MW: 19 kDa

GenBank Accession Number:

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Species Specificity:

Human, Mouse, Rat, Pig, Rabbit

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

 $\hbox{WB:} \ rabbit\ brain\ tissue,\ pig\ brain\ tissue,\ rat\ brain$

Purification Method:

CloneNo.:

1G7E8

Protein A purification

Recommended Dilutions:

WB: 1:5000-1:50000 IHC: 1:1000-1:4000

tissue, mouse brain tissue IHC: mouse brain tissue.

IF/ICC: U-87 MG cells, SH-SY5Y cells

Background Information

VAMP2 (vesicle-associated membrane protein 2), also named as synaptobrevin 2, is a member of the SNARE (soluble NSF-attachment protein receptor) family proteins. Characterized by a common sequence called the SNARE motif, SNARE proteins are involved in membrane fusion and vesicular transport (PMID: 11252968). VAMP2, with a molecular mass of 15-19 kDa, consists of a short N-terminal sequence, a SNARE motif, and a C-terminal transmembrane region. It is required for fast calcium-triggered synaptic vesicle fusion. VAMP2 forms a stable complex with STX1 (syntaxin 1) and SNAP25 (synaptosomal-associated protein 25) during synaptic vesicle fusion (PMID: 16793874). It also forms a distinct complex with synaptophysin. VAMP2 is expressed in nervous system and some non-neuronal tissues, such as skeletal muscle (PMID: 18570252).

Notable Publications

Author Pubmed ID Journal Application

Manindra Bera 40461798 Nat Protoc

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67822-1-1g (VAMP2 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 67822-1-Ig (VAMP2 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 67822-1-Ig (VAMP2 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed U-87 MG cells using VAMP2 antibody (67822-1-1g, Clone: 1G7E8) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L), CL594-phalloidin (red).