For Research Use Only

USP10 Monoclonal antibody, PBS Only




Catalog Number:67917-1-PBS


Basic Information	Catalog Number: 67917-1-PBS	GenBank Accession Number: BC000263	Purification Method: Protein A purification
	Size: 1mg/ml	GenelD (NCBI): 9100	CloneNo.: 1B10C9
	Source: Mouse	UNIPROT ID: Q14694	
	lsotype: lgG1	Full Name: ubiquitin specific peptidase 10	
	Immunogen Catalog Number: AG7233	Calculated MW: 87 kDa, 92 kDa	
		Observed MW: 100-110 kDa	
Applications	Tested Applications: WB, IF, IHC, Indirect ELISA		
	Species Specificity: Human, mouse, rat		
Background Information	USP10, a cytoplasmic ubiquitin-specific protease, deubiquitinates p53, reversing Mdm2-induced p53 nuclear export and degradation. After DNA damage, USP10 is stabilized, and a fraction of USP10 translocates to the nucleus to activate p53. The translocation and stabilization of USP10 is regulated by ATM -mediated phosphorylation of USP10 at Thr42 and Ser337. (PMID: 20096447, PMID: 26876938)		
Storage	Storage: Store at -80°C. The product is shipped with ice pa Storage Buffer: PBS Only	cks. Upon receipt, store it immediatel	yat-80°C

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data






Various lysates were subjected to SDS PAGE followed by western blot with 67917-1-1g (USP10 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control. This data was developed using the same antibody clone with 67917-1-PBS in a different storage buffer formulation.

Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 67917-1-1g (USP10 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67917-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed HEK-293 cells using USP10 antibody (67917-1-lg, Clone: 1B10C9) at dilution of 1:400 and Coralite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 67917-1-PBS in a different storage buffer formulation.



WB result of USP10 antibody (67917-1-lg; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-USP10 transfected MCF-7 cells. This data was developed using the same antibody clone with 67917-1-PBS in a different storage buffer formulation.