For Research Use Only

TEX14 Monoclonal antibody, PBS Only



Purification Method:

Protein A purification

CloneNo.:

1A11D6

Catalog Number: 67982-1-PBS

Basic Information

Catalog Number: 67982-1-PBS

BC040526

 Size:
 GeneID (NCBI):

 1 mg/ml
 56155

 Source:
 UNIPROT ID:

 Mayor
 ORIM/86

Mouse Q8IWB6

Isotype: Full Name:
IgG2a testis expressed 14

Immunogen Catalog Number: Calculated MW:

AG13143 957aa,107 kDa; 1497aa,168 kDa

Observed MW: 180 kDa

GenBank Accession Number:

Applications

Tested Applications: WB,Indirect ELISA,IF Species Specificity: Human, mouse, rat, rabbit

Background Information

Tex14 is required both for the formation of intercellular bridges during meiosis and for kinetochore-microtubule attachment during mitosis. Intercellular bridges are evolutionarily conserved structures that connect differentiating germ cells and are required for spermatogenesis and male fertility. Tex14 acts by promoting the conversion of midbodies into intercellular bridges via its interaction with CEP55 interaction with CEP55 inhibits the interaction between CEP55 and PDCD6IP/ALIX and TSG101, blocking cell abscission and leading to transform midbodies into intercellular bridges. Tex14 also plays a role during mitosis: recruited to kinetochores by PLK1 during early mitosis and regulates the maturation of the outer kinetochores and microtubule attachment.


Storage

Storage: Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using TEX14 antibody (67982-1-Ig, Clone: 1A11D6) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 67982-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using TEX14 antibody (67982-1-Ig, Clone: 1A11D6) at dilution of 1:400 and Coralite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 67982-1-PBS in a different storage buffer formulation.



rat testis tissue were subjected to SDS PAGE followed by western blot with 67982-1-lg (TEX14 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67982-1-PBS in a different storage buffer formulation.