For Research Use Only

SLC39A3 Monoclonal antibody

Catalog Number:68025-1-Ig




Basic Information	Catalog Number: 68025-1-lg	GenBank Accession Number: BC005869	Purification Method: Protein A purification	
	Size: 1000 µg/ml	GenelD (NCBI): 29985	CloneNo.: 1A11F6	
	Source: Mouse	UNIPROT ID: Q9BRYO	Recommended Dilutions: WB 1:2000-1:10400	
	lsotype: IgG2a	Full Name: solute carrier family 39 (zinc transporter), member 3 Calculated MW: 314 aa, 34 kDa		
	Immunogen Catalog Number: AG14289			
		Observed MW: 32 kDa		
Applications	Tested Applications:	Positive Controls:		
	WB, ELISA Species Specificity: Human	WB : unboiled HepG2 cells, HepG2 cells, 37°C incubated A549 cells, LNCaP cells, Jurkat cells, K-562 cells, unboiled A549 cells		
Background Informatic	a zinc-influx transporter. SLC39A3	SLC39A3, also named as ZIP3, belongs to the ZIP transporter (TC 2.A.5) family. SLC39A3 is a Zn importer that acts as a zinc-influx transporter. SLC39A3 is highly expressed in a cell-type-specific manner in ovaries, testes, and the developing nervous system with limited expression in the small intestinal crypt cells, kidney glomerulus, and discrete regions of the liver. SLC39A3 is also expressed in highly specialized, hormonally responsive secretory tissues, such as the pancreas, prostate, and mammary gland (PMID: 19458277). SLC39A3 has 2 isoforms with the molecular mass of 11 and 34 kDa.		
0	discrete regions of the liver. SLC3 tissues, such as the pancreas, pros	9A3 is also expressed in highly specia tate, and mammary gland (PMID: 194	lized, hormonally responsive secretory	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68025-1-lg (SLC39A3 antibody) at dilution of 1:5200 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Beta Actin Monoclonal antibody (HRP-66009) as loading control.