For Research Use Only

Septin 5 Monoclonal antibody, PBS Only proteintech®

Catalog Number:68075-1-PBS


Basic Information	Catalog Number: 68075-1-PBS	GenBank Accession Number: BC025261	Purification Method: Protein G purification
	Size:	GenelD (NCBI):	CloneNo.:
	1mg/ml	5413	1E2A3
	Source: Mouse	UNIPROT ID: Q99719	
	lsotype: lgG1	Full Name: septin 5	
	Immunogen Catalog Number: AG2205	Calculated MW: 369 aa, 43 kDa	
		Observed MW: 40-43 kDa	
Applications	Tested Applications: WB, FC (Intra), Indirect ELISA		
	Species Specificity: human, mouse, rat, pig, rabbit		
Background Information	Septin 5, a septin family member formerly called cell division control related protein 1 (CDCrel), is encoded in the 200 kb region and is abundantly expressed in the developing and adult brains of mice and humans. Although its constitutive deletion does not cause detectible structural or developmental abnormalities in the mouse brain, Septin 5 has been implicated in subtle neuronal and behavioral functions. Septin 5 is expressed in presynaptic terminals and exerts negative regulatory control over neurotransmitter release by binding to SNARE-protein, which has been implicated in neuropsychiatric disorders (PMID: 19240081). Septin 5 has 2 isoforms with the molecular mass of 39 and 43 kDa.		
Storage	Storage: Store at -80°C. The product is shipped with ice pa Storage Buffer:	cks. Upon receipt, store it immediatel	y at -80°C


For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Antibodies | ELISA kits | Proteins www.ptglab.com

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 68075-1-1g (Septin 5 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 68075-1-PBS in a different storage buffer formulation. 1x10^{^6} Jurkat cells were intracellularly stained with 0.25 ug Septin 5 Monoclonal antibody (68075-1-1g, Clone:1E2A3) and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(1) (SA00013-1)(red), or 0.25 ug Mouse IgG1 isotype control Mouse McAb (66360-1-1g, Clone: 1F8D3) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 68075-1-PBS in a different storage buffer