For Research Use Only

## PRAME Monoclonal antibody, PBS Only



**Purification Method:** 

Protein A purification

CloneNo.:

1E9G9

Catalog Number: 68097-1-PBS

**Featured Product** 

**Basic Information** 

Catalog Number: 68097-1-PBS

Size:
1 mg/ml
Source:
Mouse
Isotype:

IgG2b
Immunogen Catalog Number:

Immunogen Catalog Number:

AG1906

11906

Tested Applications:

WB,Indirect ELISA,IF Species Specificity:

Human, mouse, rat

Background Information

**Applications** 

The PRAME (preferentially expressed antigen of melanoma) gene was previously shown to be overexpressed in ovarian/primary peritoneal serous carcinoma compared with malignant mesothelioma using gene expression arrays. It is considered a melanocyte differentiation antigen which is overexpressed in both solid and hematologic tumors. In normal tissue, a very low level of PRAME expression is found in normal testis, adrenals, ovary and endometrium. A high level of PRAME expression has been reported for several solid tumors, including ovarian cancer, breast cancer, lung cancer and melanomas, medulloblastoma, sarcomas, head and neck cancers, neuroblastoma, renal cancer, and Wilms'tumor. As a nuclear transcriptional repressor protein, PRAME binds to retinoic acid receptor a, thereby inhibiting retinoic acid induced differentiation, growth arrest, and apoptosis.

GenBank Accession Number:

preferentially expressed antigen in

BC014074

23532

P78395 Full Name:

GeneID (NCBI):

**UNIPROT ID:** 

melanoma

Calculated MW: 509 aa, 58 kDa Observed MW: 50 kDa

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only


## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 68097-1-lg (PRAME antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 68097-1-PBS in a different storage buffer formulation.



WB result of PRAME antibody (68097-1-Ig; 1:20000; incubated at room temperature for 1.5 hours) with sh-Control and sh-PRAME transfected HeLa cells. This data was developed using the same antibody clone with 68097-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed HaCaT cells using PRAME antibody (68097-1-lg, Clone: 1E9G9) at dilution of 1:800 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), CL594-phalloidin (red). This data was developed using the same antibody clone with 68097-1-PBS in a different storage buffer formulation.