## For Research Use Only

## KIAA2013 Monoclonal antibody

Catalog Number: 68245-1-Ig



**Basic Information** 

Catalog Number: GenBank Accession Number: 68245-1-lg

BC035033

GeneID (NCBI): Size: 1000 µg/ml 90231 **UNIPROT ID:** Source:

Mouse Q8IYS2 Full Name: Isotype: lgG2b KIAA2013 Observed MW: Immunogen Catalog Number:

AG27438 65 kDa **Purification Method:** Protein A purification

CloneNo.: 4G6C4

Recommended Dilutions: WB 1:5000-1:50000

**Applications** 

**Tested Applications:** 

WB, ELISA

Species Specificity: Human, rat

Positive Controls:

WB: A549 cells, LNCaP cells, HeLa cells, HepG2 cells,

Jurkat cells, K-562 cells, HSC-T6 cells

## **Background Information**

 $KIAA2013, also known as \ Q8IYS2 \ or \ MGC33867, is a single-pass transmembrane \ protein \ encoded \ by \ the \ KIAA2013 \ and \ an also \ before \ an also \ an$ gene in humans. KIAA2013 has been found to play a role in the Endocannabinoid system. This system is made up of cannabinoid receptors 1 and 2 (CB1 and CB2) as well as the various ligands and enzymes that interact. The protein KIAA2013 has been found to be expressed within CB2 expressing cells. Both cannabinoid receptors are labeled as  $class\ A\ G-Protein\ Coupled\ Receptors, and\ CB2\ is\ highly\ expressed\ within\ the\ human\ spleen\ and\ leukocytes.\ CB2,\ and\ leukocytes.\ CB2,\ and\ leukocytes.\ leuk$ by extension KIAA2013, are therefore targets of interest for therapeutic studies looking into diseases such as inflammatory bowel disease and rheumatoid arthritis(PMID:31616248 34752341).

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68245-1-1g (KIAA 2013 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 68245-1-lg (KIAA2013 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control.