

For Research Use Only

MATR3 Monoclonal antibody

Catalog Number: 68280-1-Ig



Basic Information

Catalog Number: 68280-1-Ig	GenBank Accession Number: BC015031	Purification Method: Protein A purification
Size: 1000 µg/ml	GeneID (NCBI): 9782	CloneNo.: 3B12C7
Source: Mouse	UNIPROT ID: P43243	Recommended Dilutions: WB 1:5000-1:50000
Isotype: IgG2b	Full Name: matrin 3	
Immunogen Catalog Number: AG31502	Calculated MW: 847 aa, 95 kDa	
	Observed MW: 120 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : LNCaP cells, rat brain tissue, A431 cells, HeLa cells, HEK-293 cells, Jurkat cells, K-562 cells, mouse brain tissue
Species Specificity: Human, mouse, rat	

Background Information

MATR3, known as KIAA0723, is an 847 amino acid protein, which may play a role in transcription or may interact with other nuclear matrix proteins to form the internal fibrogranular network. MATR3 was originally identified as a nuclear matrix protein containing both DNA and RNA binding domains (PMID: 2033075) with a wide variety of functions ranging from DNA damage response to transcriptional and post-transcriptional regulation of cellular and viral RNAs (PMID: 21771346). The calculated molecular weight of MATR3 is 94 kDa, but we detect a 125 kDa protein as a result of PMID: 28977530.

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68280-1-Ig (MATR3 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control.



Various lysates were subjected to SDS PAGE followed by western blot with 68280-1-Ig (MATR3 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.