For Research Use Only

Cytokeratin 7 Monoclonal antibody

Catalog Number: 68296-1-Ig



Basic Information

Catalog Number: GenBank Accession Number:

68296-1-lg BC002700 Size: GenelD (NCBI): 1000 μ g/ml 3855

Source: UNIPROT ID:
Mouse P08729
Isotype: Full Name:
IgG1 keratin 7
Immunogen Catalog Number: Calculated MW:
AG7895 469 aa, 51 kDa

Purification Method: Protein G purification

CloneNo.:

3G2H1

Recommended Dilutions: WB 1:5000-1:50000 IHC 1:4150-1:16600

Applications

Tested Applications: IHC, WB, ELISA

Species Specificity: Human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: EC109 cells, HeLa cells, HaCat cells, A431 cells, A549 cells, BxPC-3 cells, T-47D cells

IHC: human lung cancer tissue, human endometrial cancer tissue, human ovary tumor tissue, human pancreas cancer tissue

Background Information

Keratins are a large family of proteins that form the intermediate filament cytoskeleton of epithelial cells, which are classified into two major sequence types. Type I keratins are a group of acidic intermediate filament proteins, including K9-K23, and the hair keratins Ha1-Ha8. Type II keratins are the basic or neutral courterparts to the acidic type I keratins, including K1-K8, and the hair keratins, Hb1-Hb6. KRT7, also named cytokeratin 7, is one member of type II basic cytokeratin. It is specifically expressed in the simple epithelia lining the cavities of the internal organs and in the gland ducts and blood vessels, and their neoplasms. KRT7 is a marker of epithelial tissues, but not present in carcinomas of stratified squamous cell origin.

Storage


Storage:

Store at -20°C. Stable for one year after shipment. Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68296-1-lg (Cytokeratin 7 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 68296-1-1g (Cytokeratin 7 antibody) at dilution of 1:8300 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 68296-1-Ig (Cytokeratin 7 antibody) at dilution of 1:8300 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).