

For Research Use Only

COASY Monoclonal antibody

Catalog Number: 68358-1-Ig



Basic Information

Catalog Number: 68358-1-Ig	GenBank Accession Number: BC020985	Purification Method: Protein G purification
Size: 1000 µg/ml	GeneID (NCBI): 80347	CloneNo.: 1D1C11
Source: Mouse	UNIPROT ID: Q13057	Recommended Dilutions: WB 1:5000-1:50000 IHC 1:250-1:1000
Isotype: IgG1	Full Name: Coenzyme A synthase	
Immunogen Catalog Number: AG33142	Calculated MW: 564 aa, 62 kDa	
	Observed MW: 62 kDa	

Applications

Tested Applications:
WB, IHC, ELISA

Species Specificity:
Human, Mouse, Rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: LNCaP cells, HeLa cells, HepG2 cells, HEK-293 cells, Jurkat cells, K-562 cells, HSC-T6 cells, NIH/3T3 cells

IHC: human liver tissue,

Background Information

Bifunctional coenzyme A synthase (COASY) is a bifunctional enzyme that catalyzes the fourth and fifth sequential steps of the CoA biosynthetic pathway. The fourth reaction is catalyzed by the phosphopantetheine adenyltransferase, coded by the coaD domain; the fifth reaction is catalyzed by the dephospho-CoA kinase, coded by the coaE domain. May act as a point of CoA biosynthesis regulation. It was reported that having a key role in erythroid maturation and identified upstream and downstream metabolites of COASY as a potential treatment for anemia in patients with MDS-RS (PMID: 36857430). COASY has 2 isoforms with molecular weights of 62 and 65 kDa.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68358-1-Ig (COASY antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control.



Immunohistochemical analysis of paraffin-embedded human liver tissue slide using 68358-1-Ig (COASY antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).