For Research Use Only

TAP1 Monoclonal antibody

Catalog Number:68412-1-lg 1 Publications



Basic Information

Applications

Catalog Number: 68412-1-lg

Size: 1000 µg/ml Source: Mouse Isotype:

Immunogen Catalog Number:

AG21303

Tested Applications: IF/ICC, IHC, WB, ELISA **Cited Applications:**

lgG2b

Species Specificity:

Human **Cited Species:**

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

GenBank Accession Number:

BC014081 GeneID (NCBI): 6890

Q03518 Full Name: transporter 1, ATP-binding cassette,

sub-family B (MDR/TAP)

Calculated MW:

UNIPROT ID:

81 kDa Observed MW:

70 kDa

Positive Controls:

WB: A2780 cells, SW 1990 cells, HeLa cels, MDA-MB-231 cells, HaCaT cells, THP-1 cells, Daudi cells, Ramos

Purification Method:

Protein A purification

Recommended Dilutions:

WB 1:5000-1:50000 IHC 1:500-1:2000

IF/ICC 1:500-1:2000

CloneNo.:

1B8A7

cells, Raji cells

IHC: human pancreas cancer tissue,

IF/ICC: HepG2 cells,

Background Information

TAP1, also known as ABCB2, PSF1 or RING4, is a member of the ATP-binding cassette (ABC) family of transmembrane transporters and is an essential component of the major histocompatability complex (MHC) class I antigen-presenting pathway. TAP is involved in the transport of antigens from the cytoplasm to the endoplasmic reticulum for association with MHC class I molecules. It also acts as a molecular scaffold for the final stage of MHC class I folding. Defects in TAP1 are a cause of bare lymphocyte syndrome type 1 (BLS1). Western blot analysis using this antibody detected a major band around 70 kDa.

Notable Publications

Author	Pubmed ID	Journal	Application
Jiaqi Wu	39024058	J Agric Food Chem	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926 E: Proteintech-CN@ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 68412-1-1g (TAP1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 68412-1-Ig (TAP1 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human pancreas cancer tissue slide using 68412-1-Ig (TAP1 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using TAP1 antibody (68412-1-1g, Clone: 1B8A7) at dilution of 1:1000 and CoraLite@488-Conjugated Goat Anti-Mouse IgG(H+L).