

For Research Use Only

Integrin alpha-5 Monoclonal antibody



Catalog Number: 68561-1-Ig

Basic Information

Catalog Number:

68561-1-Ig

Size:

1000 μ g/ml

Source:

Mouse

Isotype:

IgG2a

Immunogen Catalog Number:

AG33642

GenBank Accession Number:

BC008786

GeneID (NCBI):

3678

UNIPROT ID:

P08648

Full Name:

integrin, alpha 5 (fibronectin receptor, alpha polypeptide)

Calculated MW:

115 kDa

Observed MW:

140 kDa

Purification Method:

Protein A purification

CloneNo.:

3B9E5

Recommended Dilutions:

WB 1:5000-1:50000

Applications

Tested Applications:

WB, ELISA

Species Specificity:

Human, Mouse, Rat, Pig

Positive Controls:

WB: A549 cells, rat colon tissue, K-562 cells, Jurkat cells, pig colon tissue, HeLa cells, mouse colon tissue, mouse small intestine tissue

Background Information

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated alpha and beta subunits. Integrin alpha 5 (ITGA5), belongs to the integrin alpha chain family, primarily binds to Integrin beta 1 (ITGB1) to form an $\alpha 5 \beta 1$ heterodimer (PMID: 33711961). Integrin $\alpha 5 \beta 1$ is a specific receptor of fibronectin through its arginine-glycine-aspartic acid (RGD) binding site (PMID: 19608542). Integrin $\alpha 5 \beta 1$ plays roles in cell adhesion, migration and matrix formation, and has emerged as an essential mediator in many human carcinomas (PMID: 33408483).

Storage

Storage:

Store at -20°C . Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com

W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68561-1-Ig (Integrin alpha-5 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.