For Research Use Only

ICAM-1/CD54 Monoclonal antibody, PBS Only (Detector)

www.ptglab.com

Purification Method:

Protein G purification

CloneNo.:

2C9G8

Catalog Number: 68693-1-PBS

Basic Information

Catalog Number: 68693-1-PBS

Concentration:

1 mg/ml

BC015969

GeneID (NCBI): 3383

GenBank Accession Number:

Source: ENSEMBL Gene ID: Mouse ENSG00000090339 **UNIPROT ID:** Isotype: lgG1 P05362 Full Name: Immunogen Catalog Number:

EG0570 intercellular adhesion molecule 1

> Calculated MW: 90 kDa

Applications

Tested Applications:

Sandwich ELISA, Indirect ELISA, Sample test

Species Specificity:

human

Background Information

Storage


Storage:


Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS only, pH7.3


Selected Validation Data









Human peripheral blood mononuclear cells (PBMC) were cultured unstimulated or stimulated with 10 $\,^{\mu}$ g/mL PHA for 5 days. The mean ICAM-1/CD54 concentration was determined to be 2,139.3 pg/mL in unstimulated PBMC supernatant, 30,678.8 pg/mL in PHA stimulated PBMC supernatant.



Saliva of seven individual healthy human donors was measured. The human ICAM-1/CD54 concentration of detected samples was determined to be 5,597.4 pg/mL with a range of 2,577.6 - 11,698.1 pg/mL



Urine of seven individual healthy human donors was measured. The human ICAM-1/CD54 concentration of detected samples was determined to be 1,031.9 pg/mL with a range of 49.7 - 3,299.7 pg/mL



Serum of sixteen individual healthy human donors was measured. The human ICAM-1/CD54 concentration of detected samples was determined to be 260.08 ng/mL with a range of 142.73 - 650.42 ng/mL