

For Research Use Only

Phospho-JNK (Thr183) Recombinant monoclonal antibody

Catalog Number: 80435-8-RR



Basic Information

Catalog Number:

80435-8-RR

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

NM_138982

GeneID (NCBI):

5599

UNIPROT ID:

P45983

Full Name:

mitogen-activated protein kinase 8

Calculated MW:

48 kDa

Observed MW:

42 kDa, 50 kDa

Purification Method:

Protein A purification

CloneNo.:

253546C10

Recommended Dilutions:

WB: 1:1000-1:4000

Dot Blot: 1:500-1:2000

Applications

Tested Applications:

WB, Dot Blot, ELISA

Species Specificity:

human, mouse, rat

Positive Controls:

WB : UV treated HEK-293 cells, Calyculin A treated HSC-T6 cells

Dot Blot : / ,

Background Information

MAPK8(Mitogen-activated protein kinase 8) is also named as JNK1, PRKM8, SAPK1, SAPK1C and belongs to the MAP kinase subfamily. Phospho-JNK (Thr183) is the activated form of c-Jun N-terminal kinase (JNK), a MAPK family serine/threonine kinase. Phosphorylation at Thr183 (often with Tyr185) by MKK4/7 activates JNK, regulating cell apoptosis, proliferation and stress responses. (PMID: 40538844)

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Dot blot analysis was used to confirm the specificity of 80435-8-RR, Phospho-SAPK/JNK (Thr183) antibody. peptides were spotted onto NC and probed with antibody at 1 μg/mL. The amount of peptide (μ g/mL) spotted is indicated next to each row.



Non-treated HSC-T6 cells and Calyculin A treated HSC-T6 cells were subjected to SDS PAGE followed by western blot with 80435-8-RR (Phospho-JNK (Thr183) antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. The membrane was stripped and re-blotted with GAPDH (60004-1-Ig) antibody as a loading control.



Non-treated HEK-293 cells and UV treated HEK-293 cells were subjected to SDS PAGE followed by western blot with 80435-8-RR (Phospho-JNK (Thr183) antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. The membrane was stripped and re-blotted with Lamin B1 (66095-1-Ig) antibody as a loading control.