For Research Use Only

GAPDH (Human Specific) Recombinant antibody

Catalog Number:80570-1-RR 6 Publications



Basic Information

Catalog Number: 80570-1-RR Size: 400 μg/ml

Source: Rabbit Isotype:

Immunogen Catalog Number:

AG0766

dehydrogenase Calculated MW: 36 kDa

BC004109

2597

P04406

GeneID (NCBI):

UNIPROT ID:

Full Name:

GenBank Accession Number:

glyceraldehyde-3-phosphate

Purification Method:

Protein A purification CloneNo.: 2G21

Recommended Dilutions: WB 1:2000-1:16000 IHC 1:400-1:1600 IF 1:200-1:800

Applications

Tested Applications: IF/ICC, IHC, WB, ELISA **Cited Applications:**

Species Specificity:

Human Cited Species:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, HEK-293 cells, Jurkat cells, K-562 cells IHC: human liver cancer tissue, human lung tissue

IF: HeLa cells,

Background Information

Glyceraldehyde-3-phosphate dehydrogenase (GAPDH) catalyzes the phosphorylation of glyceraldehyde-3phosphate during glycolysis. GAPDH participates in nuclear events including transcription, binding RNA, RNA transportation, DNA replication, DNA repair and apoptosis. Being stably and constitutively expressed at high levels in most tissues and cells, GAPDH is considered a housekeeping protein. It is widely used as a control for RT-PCR and $also \ loading \ control \ in \ electrophores is \ and \ Western \ blotting. \ GAPDH \ is \ normally \ expressed \ in \ cellular \ cytoplasm \ or \ also \ loading \ expressed \ in \ cellular \ cytoplasm \ or \ also \ loading \ expressed \ in \ cellular \ expressed \ in \ expressed \ in \ expressed \ exp$ membrane, but can occasionally translocate to the nucleus after the addition of post-translational modifications such as S-nitrosylation. This antibody is raised against full length GAPDH of human origin. It can recognize the 36 kDa GAPDH protein in most cells/tissues. In addition, a band below 36 kDa can always be detected as the isoform or spliced product of GAPDH (PMID: 23885286, 23877755, 19368702). Please note that some physiological factors, such as hypoxia and diabetes, increase GAPDH expression in certain cell types. For murine tissue samples, conjugated $mouse\ antibody\ HRP-60004\ and\ rabbit\ antibody\ 10494-1-AP\ are\ preferable.\ 80570-1-RR\ is\ human\ specific.$

Notable Publications

Author	Pubmed ID	Journal	Application
Lizong Wang	36173462	J Cancer Res Clin Oncol	WB
Guanli Zhang	36193555	J Biochem Mol Toxicol	WB
Zhi-Hu Zhao	35128373	Mater Today Bio	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using GAPDH (Human Specific) antibody (80570-1-RR, Clone: 2G21) at dilution of 1:400 and CoraLite®594-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Various lysates were subjected to SDS PAGE followed by western blot with 80570-1-RR (GAPDH antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 80570-1-RR (GAPDH (Human Specific) antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).