For Research Use Only

PTEN Recombinant antibody


Catalog Number:80718-7-RR




Basic Information	Catalog Number: 80718-7-RR	GenBank Accession Number: BC005821	Purification Method: Protein A purfication
	Concentration: 1000 µg/ml	GeneID (NCBI): 5728	CloneNo.: 240134F7
	Source: Rabbit	UNIPROT ID: P60484	Recommended Dilutions: IF/ICC 1:150-1:600
	Isotype: IgG	Full Name: phosphatase and tensin homolog	
	Immunogen Catalog Number:Calculated MW:AG1727447 kDa		
Applications	Tested Applications: IF/ICC, FC (Intra), ELISA	Positive Controls:	
	Species Specificity: Human	IF/ICC: Held Cetts,	
Background Information	PTEN is one of the most critical tumor suppressors, which functions at different subcellular locations, including the plasma membrane and nucleus. The PTEN protein is located at different subcellular regions-PTEN at the plasma membrane suppresses PI3-kinase signaling in cell growth, whereas PTEN in the nucleus maintains genome integrity. At the plasma membrane, PTEN counteracts PI3 kinase signaling by dephosphorylating the potent second messenger PIP3 to PIP2. The loss of PTEN in cancer cells results in over-activation of AKT and mTOR signaling, leading to excessive stimulation of cell growth and inhibition of cell death. In the nucleus, PTEN functions in DNA repair, genome stability, and cell cycle control through associations with Rad51 and p53. PTEN stability is primarily regulated by phosphorylation of C-terminal tail domains (Thr366, Ser370, Ser380, Thr382, Thr383, and Ser385). The phosphorylation leads to a "closed" state of PTEN and maintains PTEN stability. Dephosphorylation of the c-terminal tail opens the PTEN phosphatase domain, thereby increasing PTEN activity. PTEN protein is of the apparent molecular mass expected for PTEN (55 kDa) and PTEN α (70 kDa).(PMID: 33083717, PMID: 20622047, PMID: 24768297)		
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	50% glycerol, pH7.3	

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using PTEN antibody (80718-7-RR, Clone: 240134F7) at dilution of 1:300 and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L) (SA00013-1), CL594-Phalloidin (red).



1x10^6 HeLa cells were intracellularly stained with 0.25 ug PTEN Recombinant antibody (80718-7-RR, Clone:240134F7) and APC-Conjugated Goat Anti-Rabbit (gG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Biolayer interferometry (BLI) kinetic assays of 80718-7-RR against Human PTEN were performed. The affinity constant is below 1 pM.