For Research Use Only

HO-1 Recombinant antibody

Catalog Number:81281-1-RR

Featured Product

17 Publications



Basic Information

Catalog Number: 81281-1-RR

Size: 500 μg/ml Source: Rabbit

Isotype:

Immunogen Catalog Number:

AG1190

GenBank Accession Number:

BC001491 GeneID (NCBI): 3162 **UNIPROT ID:** P09601 Full Name:

heme oxygenase (decycling) 1

Calculated MW: 33 kDa

Observed MW: 33 kDa

Purification Method:

Protein A purification

CloneNo.: 2M6

Recommended Dilutions: WB 1:5000-1:50000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate

Applications

Tested Applications: IP, WB, ELISA

Cited Applications:

WB

Species Specificity: Human, Rat **Cited Species:** human, rat, mouse

Positive Controls:

WB: A549 cells, HeLa cells, HepG2 cells, U2OS cells,

HSC-T6 cells, rat spleen tissue

IP: HeLa cells,

Background Information

Heme oxygenase (HMOX1) catalyzes the first and rate-limiting step in the degradation of heme to yield equimolar quantities of biliverdin Ixa, carbon monoxide (CO), and iron. It has 3 isoforms: HO-1 is highly inducible, whereas HO-2 and HO-3 are constitutively expressed (PMID:10194478). Heme oxygenase-1 (HO-1) is expressed in many tissues and vascular smooth muscle cells, and endothelial cells (PMID:15451051) and has been identified as an important endogenous protective factor induced in many cell types by various stimulants, such as hemolysis, infiammatory cytokines, oxidative stress, heat shock, heavy metals, and endotoxin (PMID: 11522663).

Notable Publications

Author	Pubmed ID	Journal	Application
Kai Chen	38318502	Drug Des Devel Ther	WB
Hui Fan	38135199	Chem Biol Interact	WB
Guangwei Yang	38087869	J Diabetes	WB


Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 81281-1-RR (HO-1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



WB result of HO-1 antibody (81281-1-RR; 1:60000; incubated at room temperature for 1.5 hours) with sh-Control and sh-HO-1 transfected HeLa cells.



IP result of anti-HO-1 (IP:81281-1-RR, 4ug; Detection:81281-1-RR 1:8000) with HeLa cells lysate 1560 ug.