For Research Use Only

## ATG5 Recombinant antibody

Catalog Number:81803-1-RR Featured Product




Basic Information	Catalog Number:GenBank Accession Number:81803-1-RRBC002699		er:	Purification Method: Protein A purification	
	Size: 1000 ug/ml	GeneID (NCBI): 9474		CloneNo.: 5M5	
	Source: Rabbit	UNIPROT ID: Q9H1YO Full Name: ATG5 autophagy related 5 homolog (S. cerevisiae) Calculated MW: 32 kDa		Recommended Dilutions: WB 1:5000-1:50000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:500-1:2000	
	Isotype: IgG Immunogen Catalog Number: AG0214				
					Observed MW: 50-55 kDa
		Applications	WR IHC ID FUSA		Positive Controls: WB : HeLa cells, Jurkat cells, HepG2 cells, A549 cells, NIH/3T3 cells, RAW 264.7 cells, HSC-T6 cells, PC-12 cells
Species Specificity: human, mouse, rat					
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			IP : HeLa cells,		
			IHC : human ovary tumor tissue,		
Background Information	ATG5, also named as APG5L and ASP, belongs to the ATG5 family. It is required for autophagy. It plays an important role in the apoptotic process, possibly within the modified cytoskeleton. Its expression is a relatively late event in the apoptotic process, occurring downstream of caspase activity. Autophagy is a catabolic process for the autophagosomic-lysosomal degradation of bulk cytoplasmic contents. Formation of the autophagosome involves a ubiquitin-like conjugation system in which Atg12 is covalently bound to Atg5 and targeted to autophagosome vesicles. It mediates autophagosome-independent host protection. This antibody is raised against 28-275 amino acids of human ATG5. It can recognize the ATG5-ATG12 complex (55 kDa) which can be truncated and generate a 40-45 kDa band.				
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	50% glycerol pH 7.3.			


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 81803-1-RR (ATG5 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




WB result of ATG5 antibody (81803-1-RR; 1:6000; room temperature for 1.5 hours) with wild-type and ATG5 knockout HeLa cells.



IP result of anti-ATG5 (IP:81803-1-RR, 4ug; Detection:81803-1-RR 1:2000) with HeLa cells lysate 1280 ug.



Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 81803-1-RR (ATG5 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Biolayer interferometry (BLL) kinetic assays of 81803-1-RR against Human ATG5 were performed. The affinity constant is 42.4 nM.