For Research Use Only

PHGDH Recombinant antibody

Catalog Number:81986-1-RR



Basic Information

Catalog Number: GenBank Accession Number:

 81986-1-RR
 BC000303

 Size:
 GeneID (NCBI):

 500 μg/ml
 26227

 Source:
 UNIPROT ID:

 Rabbit
 043175

Isotype: Full Name:
IgG phosphoglycerate dehydrogenase

Immunogen Catalog Number: Calculated MW:

AG6445 57 kDa

Observed MW:

57 kDa

Purification Method: Protein A purification

CloneNo.:

5L16

Recommended Dilutions:

WB 1:5000-1:50000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500

Applications

Tested Applications: IHC, IP, WB, ELISA Species Specificity: Human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HeLa cells, HEK-293 cells, Jurkat cells, mouse pancreas tissue, rat pancreas tissue

IP: HeLa cells,

IHC: human colon cancer tissue,

Background Information

PHGDH(D-3-phosphoglycerate dehydrogenase) is also named as 3-PGDH, PGDH3 and belongs to the D-isomer specific 2-hydroxyacid dehydrogenase family. It catalyzes the transition of 3-phosphoglycerate into 3-phosphohydroxypyruvate, which is the first and rate-limiting step in the phosphorylated pathway of serine biosynthesis, using NAD+/NADH as a cofactor. 3-PGDH deficiency is a rare recessive inborn error in the biosynthesis of the amino acid L-serine characterized clinically by congenital microcephaly, psychomotor retardation, and intractable seizures(PMID:19235232).

Storage


Storage:

Store at -20°C. Stable for one year after shipment. Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 81986-1-RR (PHGDH antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



IP result of anti-PHGDH (IP:81986-1-RR, 4ug; Detection:81986-1-RR 1:10000) with HeLa cells lysate 1760 ug.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 81986-1-RR (PHGDH antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).