

For Research Use Only

Angiopoietin 1 Recombinant antibody, PBS Only

Catalog Number: 81990-4-PBS



Basic Information

Catalog Number: 81990-4-PBS	GenBank Accession Number: BC152411	Purification Method: Protein A purification
Concentration: 1 mg/ml	GeneID (NCBI): 284	CloneNo.: 240764D10
Source: Rabbit	UNIPROT ID: Q15389	
Isotype: IgG	Full Name: angiopoietin 1	
Immunogen Catalog Number: AG18829	Calculated MW: 498 aa, 58 kDa	
	Observed MW: 70 kDa	

Applications

Tested Applications:
WB, IHC, FC (Intra), ELISA

Species Specificity:
human

Background Information

Angiopoietin 1 is a 70-kDa secreted glycoprotein generated from vascular mural cells, pericytes, and certain other cells. Angiopoietin 1 participates in vascular differentiation through angiogenesis, which is the process of the growth and remodelling of existing vessels. Angiopoietin 1 is also involved in the maintenance and turnover of blood vessels in mature animals. Angiopoietin 1 binds to and activates the TEK/TIE2 receptor by inducing its dimerization and tyrosine phosphorylation, playing an important role in the regulation of angiogenesis. Overexpression of Angiopoietin 1 has been proven to occur in malignant glioblastoma, neuroblastoma, non-small cell lung cancer, and other tumors.

Storage

Storage:
Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:
PBS Only

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 81990-4-RR (Angiopoietin 1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 81990-4-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded mouse heart tissue slide using 81990-4-RR (Angiopoietin 1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 81990-4-PBS in a different storage buffer formulation.



1x10⁶ HepG2 cells were intracellularly stained with 0.25 ug Angiopoietin 1 Recombinant antibody (81990-4-RR, Clone:240764D10) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 81990-4-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 81990-4-RR against Human ANGPT1 were performed. The affinity constant is 6.37 nM.