For Research Use Only

TOP2A Recombinant antibody

Catalog Number:82738-4-RR




Basic Information	Catalog Number: 82738-4-RR	GenBank Accession Number: BC140791	Purification Method: Protein A purification	
	Concentration: 1000 ug/ml	GenelD (NCBI): 7153	CloneNo.: 1J18	
	Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG19551	UNIPROT ID: P11388	Recommended Dilutions: WB 1:2000-1:10000 IP 0.5-4.0 ug for 1.0-3.0 mg of total kDa protein lysate IF/ICC 1:250-1:1000	
		Full Name: topoisomerase (DNA) II alpha 17		
		Calculated MW: 1531 aa, 174 kDa		
		Observed MW: ~170 kDa		
Applications	Tested Applications:	Positive (sitive Controls:	
	WB, IF/ICC, IP, ELISA Species Specificity: human	WB : K-562 cells, HeLa cells, HEK-293 cells, A431 cells, Jurkat cells		
		IP : HeLa cells,		
		IF/ICC : A431 cells,		
Background Information	TOP2A, also named as TOP2, belongs to the type II topoisomerase family. Topoisomerase II makes double-strand breaks. TOP2 control the topological states of DNA by transient breakage and subsequent rejoining of DNA strands. TOP2A may play a role in regulating the period length of ARNTL/BMAL1 transcriptional oscillation. DNA topoisomerase IIa (170 kDa, TOP2a/170) is essential in proliferating cells by resolving DNA topological entanglements during chromosome condensation, replication, and segregation.			
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	50% glycerol, pH7.3		


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 82738-4-RR (TOP2A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



IP result of anti-TOP2A (IP:82738-4-RR, 4ug; Detection:82738-4-RR 1:2000) with HeLa cells lysate 1280 ug.



Immunofluorescent analysis of (4% PFA) fixed A431 cells using TOP2A antibody (82738-4-RR, Clone: 1118) at dilution of 1:500 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CoraLite®594-Phalloidin (red).



Biolayer interferometry (BLL) kinetic assays of 82738-4-RR against Human TOP2A were performed. The affinity constant is 0.928 nM.