For Research Use Only

TAF15 Recombinant antibody

Catalog Number:82860-1-RR



Basic Information

Catalog Number: 82860-1-RR

Size: 800 µg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG20828

GenBank Accession Number:

BC046099 GeneID (NCBI): 8148

UNIPROT ID: Q92804 Full Name:

TAF15 RNA polymerase II, TATA box binding protein (TBP)-associated

factor, 68kDa Calculated MW: 592 aa, 62 kDa Observed MW:

62-75 kDa

Applications

Tested Applications: IF/ICC, WB, ELISA

Species Specificity:

Human, mouse, rat

Purification Method: Protein A purification

CloneNo.: 3L13

Recommended Dilutions:

WB 1:2000-1:16000 IF 1:400-1:1600

Positive Controls:

WB: HeLa cells, mouse liver tissue, HEK-293 cells, Jurkat cells, MCF-7 cells, rat brain tissue

IF : HeLa cells,

Background Information

TAF15 (TAF2N or TAFII68) is a nuclear protein known to associate with a distinct subpopulation of transcription factor IID (TFIID), a multi-subunit complex that nucleates the pre-initiation complex on promoters of on protein-coding genes. TAF15 harbors a transcriptional activation domain, a RNA recognition motif and many Arg-Gly-Gly repeats that participate in RNA binding. TAF15 along with FUS and EWS constitutes the FET (FUS/EWS/TAF15) protein family of heterogeneous nuclear ribonucleoproteins (hnRNPs) class of RNA binding proteins that are multifunctional proteins implicated in numerous aspects of RNA processing/functions. TAF15 is a nuclear protein that shuttle between cytoplasm-nucleus and as RNA/ssDNA-binding protein, it play specific roles during transcription initiation at distinct promoters and enter the preinitiation complex together with the RNA polymerase II. TAF15 as well as other FET member genes are frequently translocated in sarcomas and rare hematopoietic as well as epithelial cancers. Moreover, dominant mutations in genes coding for four hnRNPs (TDP-43, FUS/TLS, TAF15, and EWS) are found in familial and sporadic cases of ALS and a chromosomal aberration involving TAF15/TAF2N is found in a form of extraskeletal myxoid chondrosarcomas (EMC).

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 82860-1-RR (TAF15 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 82860-1-RR (TAF15 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using TAF15 antibody (82860-1-RR, Clone: 3L13) at dilution of 1:800 and Multi-rAb CoraLite ® Plus 594-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR004).CoraLite® Plus 488-Phalloidin (green)