For Research Use Only

ZO-1 Recombinant antibody, PBS Only

Catalog Number:82870-1-PBS



Basic Information

Catalog Number:

GenBank Accession Number:

...

82870-1-PBS Size:

GeneID (NCBI):

BC111712

CloneNo.:

2P13

Purification Method:

Protein A purification

1 mg/ml Source: 7082 UNIPROT ID: Q07157

Rabbit Isotype:

Full Name: tight junction protein 1 (zona

occludens 1)

230 kDa

AG33182

Calculated MW: 1748 aa, 195 kDa Observed MW:

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, Indirect ELISA

Immunogen Catalog Number:

Species Specificity: human, mouse

Background Information

Tight junction (or zonula occludens) forms the continuous intercellular barrier between epithelial and endothelial cells, which is required to separate tissue spaces and regulate the selective movement of solutes across the epithelium and endothelium (PMID: 20066090). ZO-1 (also known as TJP1) is a peripheral membrane phosphoprotein located on the cytoplasmic face and is expressed in tight junctions of both epithelial and endothelial cells (PMID: 3528172). It binds the transmembrane proteins occludin and the claudins linking them to cytoskeletal actin (PMID: 17418867). ZO-1 belongs to a family of multidomain proteins known as the membrane-associated guanylate kinase homologs (MAGUKs). It is a pivotal tight junction protein and may be involved in signaling mechanisms regulating cell proliferation and differentiation (PMID: 22782886).

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

PBS Only


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 82870-1-RR (ZO-1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 82870-1-PBS in a different storage buffer formulation.




IP result of anti-ZO-1 (IP:82870-1-RR, 4ug; Detection:82870-1-RR 1:2000) with HEK-293 cells lysate 920 ug. This data was developed using the same antibody clone with 82870-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 82870-1-RR (ZO-1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 82870-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded mouse colon tissue slide using 82870-1-RR (ZO-1 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 82870-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded mouse colon tissue slide using 82870-1-RR (ZO-1 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 82870-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse colon tissue using ZO-1 antibody (82870-1-RR, Clone: 2P13) at dilution of 1:200 and Multi-rAb Coralite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 82870-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse heart tissue using ZO-1 antibody (82870-1-RR, Clone: 2P13) at dilution of 1:200 and Multi-rAb Coralite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAROO2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 82870-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed MCF-7 cells using ZO-1 antibody (82870-1-RR, Clone: 2P13) at dilution of 1:1500 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), Alpha Tubulin antibody (66031-1-Ig, Clone: 1E4C11, red). This data was developed using the same antibody clone with 82870-1-PBS in a different storage buffer formulation.