For Research Use Only

NOP58 Recombinant antibody, PBS Only

Catalog Number:82879-1-PBS

Featured Product



Purification Method:

Protein A purification

CloneNo.:

230058C7

Basic Information

Catalog Number: 82879-1-PBS Concentration:

1mg/ml
Source:
Rabbit
Isotype:

gG NOP58 ribonucleoprotein homolog

Immunogen Catalog Number: (yeast)

AG5740 Calculated MW:

60 kDa
Observed MW:
60 kDa

BC032592

51602

Q9Y2X3
Full Name:

GeneID (NCBI):

UNIPROT ID:

GenBank Accession Number:

Applications

Tested Applications:

WB, IHC, IF/ICC, FC (Intra), IP, Indirect ELISA

Species Specificity:

human

Background Information

The box C/D snoRNPs are named for the short, conserved box C (UGAUGA) and box D (CUGA) sequences present in their RNA moiety. The box C/D sequences are also required for multiple aspects. of snoRNA biogenesis, including RNA stability, intronic processing, nucleolar targeting, nuclear retention, and 59 trimethylguanosine cap formation (PMID:9649444,8878486). Nop58 is a component common to the box C/D small nucleolar ribonucleoprotein (PMID:10606270).

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS only, pH7.3


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 82879-1-RR (NOP58 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 82879-1-PBS in a different storage buffer formulation.




IP result of anti-NO P58 (IP:82879-1-RR, 4ug; Detection:82879-1-RR 1:2000) with HeLa cells lysate 1600 ug. This data was developed using the same antibody clone with 82879-1-PBS in a different storage buffer formulation.




WB result of NOP58 antibody (82879-1-RR; 1:120000; incubated at room temperature for 1.5 hours) with sh-Control and sh-NOP58 transfected MCF-7 cells. This data was developed using the same antibody clone with 82879-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 82879-1-RR (NOP58 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 82879-1-PBS in a different storage buffer formulation.




Immunofluorescent analysis of (4% PFA) fixed U2OS cells using NOP58 antibody (82879-1-RR) at dilution of 1:1000 and Multi-rAb CoraLite ® Plus 594-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR004). This data was developed using the same antibody clone with 82879-1-PBS in a different storage buffer formulation.



1x10^6 HeLa cells were intracellularly stained with 0.25 ug NOP58 Recombinant antibody (82879-1-RR, Clone:230058C7) and Coralite® 488-Conjugated AffiniPure Goat Anti-Rabbit 1gG(H+L) (5A00013-2) (red), or 0.25 ug Isotype Control (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011). This data was developed using the same antibody clone with 82879-1-PBS in a different storage buffer formulation



Biolayer interferometry (BLI) kinetic assays of 82879-1-RR against Human NOP58 were performed. The affinity constant is 5.53 nM.



Biolayer interferometry (BLI) kinetic assays of 82879-1-RR against Human NOP58 were performed. The affinity constant is below 1 pM.