For Research Use Only

RNF160 Recombinant antibody

Catalog Number:82926-1-RR



Basic Information

Catalog Number: GenBank Accession Number: 82926-1-RR BC140790

 Isotype:
 Full Name:

 IgG
 ring finger protein 160

 Immunogen Catalog Number:
 Observed MW:

AG29467 180-200 kDa

Applications

Tested Applications: WB, IHC, FC (Intra), ELISA Species Specificity: human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Purification Method:

Protein A purification CloneNo.:

230075H2

Positive Controls:

pancreas tissue

IHC: mouse colon tissue,

Recommended Dilutions: WB 1:2000-1:10000 IHC 1:50-1:500

WB: HeLa cells, HepG2 cells, BxPC-3 cells, U2OS cells,

mouse colon tissue, mouse pancreas tissue, rat

Background Information

The E3 ubiquitin ligase, Ltn1 (also named RNF 160), is a key regulator of RQC that targets substrates for ubiquitination (PMID: 35981909).

Storage

T: 4006900926

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 82926-1-RR (RNF160 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse colon tissue slide using 82926-1-RR (RNF 160 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



1x10^6 U2OS cells were intracellularly stained with 0.25 ug RNF 160 Recombinant antibody (82926-1-RR, Clone:230075H2) and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2) (red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



WB result of RNF 160 antibody (82926-1-RR; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-RNF 160 transfected HepG2 cells.



Biolayer interferometry (BLL) kinetic assays of 82926-1-RR against Human ADAMDEC 1 were performed. The affinity constant is below 1 pM.