For Research Use Only

RORA Recombinant antibody, PBS Only

Catalog Number:82930-1-PBS



Purification Method:

CloneNo.:

230217G6

Protein A purification

Basic Information

Catalog Number: GenBank Accession Number:

 82930-1-PBS
 BC008831

 Concentration:
 GeneID (NCBI):

 1mg/ml
 6095

Source: UNIPROT ID: Rabbit P35398
Isotype: Full Name:

IgG RAR-related orphan receptor A

Immunogen Catalog Number: Calculated MW: AG0944 59 kDa

Observed MW: 60-66 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, IF-P, FC (Intra), Indirect ELISA

Species Specificity: human, mouse, rat

Background Information

RORA is a steroid hormone receptor and has been implicated in the pathology of circadian rhythms, bone growth, angiogenesis, development of cones, cellular metabolism and a mediator in the immune and lipid metabolism pathways [PMID:21998696]. It binds DNA as a monomer to hormone response elements (HRE) containing a single core motif half-site preceded by a short A-T-rich sequence, which binds to the consensus sequence 5'-[AT][TA]A[AT] [CGT]TAGGTCA-3'. Regulates a number of genes involved in lipid metabolism such as apolipoproteins AI, APOA5, CIII, CYP71 and PPAR gamma, in cerebellum and photoreceptor development including PCP2, OPN1SW, OPN1SM and ARR3, in circadian rhythm with BMAL1, and skeletal muscle development with MYOD1 [PMID:11053433,14570920].

Storage


Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS only, pH7.3


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 82930-1-RR (RORA antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 82930-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded rat cerebellum tissue slide using 82930-1-RR (RORA antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 82930-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded rat brain tissue using RORA antibody (82930-1-RR, Clone: 230217G6) at dilution of 1:350 and Multi-rAb Coralite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 82930-1-PBS in a different storage buffer formulation.



1x10^6 HeLa cells were intracellularly stained with 0.4 ug RORA Recombinant antibody (82930-1-RR, Clone:230217G6) and Coralite® 488-Conjugated AffiniPure Goat Anti-Rabbit 1gG(H+L) (SA00013-2) (red), or 0.4 ug Isotype Control (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011). This data was developed using the same antibody clone with 82930-1-PBS in a different storage buffer



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using RORA antibody (82930-1-RR, Clone: 230217G6) at dilution of 1:300 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit 1gG(H+L) (SA00013-2), CL594-Phalloidin (red). This data was developed using the same antibody clone with 82930-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using RORA antibody (82930-1-RR, Clone: 230217G6) at dilution of 1:500 and CoraLite@488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red). This data was developed using the same antibody clone with 82930-1-PBS in a different storage buffer formulation