

For Research Use Only

ROCK1 Recombinant antibody, PBS Only

Catalog Number: 83166-5-PBS



Basic Information

Catalog Number:	83166-5-PBS	GenBank Accession Number:	BC113114	Purification Method:	Protein A purification
Size:	1 mg/ml	GeneID (NCBI):	6093	CloneNo.:	230423C6
Source:	Rabbit	UNIPROT ID:	Q13464		
Isotype:	IgG	Full Name:	Rho-associated, coiled-coil containing protein kinase 1		
Immunogen Catalog Number:	AG16317	Calculated MW:	1354 aa, 158 kDa		
		Observed MW:	150-160 kDa		

Applications

Tested Applications:
WB, IHC, IF/ICC, FC (Intra), Indirect ELISA

Species Specificity:
human, mouse

Background Information

ROCK1, also named as p160ROCK and NY-REN-35, belongs to the protein kinase superfamily and AGC Ser/Thr protein kinase family. ROCK1 phosphorylates and activates DAPK3, which then regulates myosin light chain phosphatase through phosphorylation of MYPT1 thereby regulating the assembly of the actin cytoskeleton, cell migration, invasiveness of tumor cells, smooth muscle contraction and neurite outgrowth. ROCK1 is required for centromere positioning and centromere-dependent exit from mitosis. It is necessary for apoptotic membrane blebbing. ROCK1 catalyzes the reaction: ATP + a protein = ADP + a phosphoprotein.

Storage

Storage:
Store at -80°C.
The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:
PBS Only

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 83166-5-RR (ROCK1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 83166-5-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffin-embedded human intrahepatic cholangiocarcinoma tissue slide using 83166-5-RR (ROCK1 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 83166-5-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using ROCK1 antibody (83166-5-RR, Clone: 230423C6) at dilution of 1:250 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) (SA00013-1). This data was developed using the same antibody clone with 83166-5-PBS in a different storage buffer formulation.



1x10⁶ HeLa cells were intracellularly stained with 0.25 ug ROCK1 Recombinant antibody (83166-5-RR, Clone:230423C6) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 83166-5-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 83166-5-RR against Human ROCK1 were performed. The affinity constant is 0.401 nM.