For Research Use Only

MOSPD2 Recombinant antibody

Catalog Number:83398-1-RR Featured Product



Basic Information

Catalog Number: GenBank Accession Number: 83398-1-RR BC030641 GeneID (NCBI): Concentration: 1000 ug/ml 158747 **UNIPROT ID:** Source:

Rabbit Q8NHP6 Full Name: Isotype: motile sperm domain containing 2

Calculated MW: Immunogen Catalog Number:

AG22206 518 aa, 60 kDa Observed MW:

59 kDa

Purification Method:

Protein A purification CloneNo.:

240282C11

Recommended Dilutions: WB: 1:5000-1:50000 IHC: 1:200-1:800

FC (Intra): 0.25 ug per 10^6 cells in a

100 µl suspension

Applications

Tested Applications: WB, IHC, FC (Intra), ELISA Species Specificity: human, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HuH-7 cells, HeLa cells, Jurkat cells, U-937 cells, K-562 cells, RAW 264.7 cells, rat brain tissue IHC: mouse placenta tissue, mouse brain tissue

FC (Intra): A431 cells,

Background Information

MOSPD2 is a 518-amino acid protein containing an N-terminal CRAL/TRIO domain, a major sperm protein (MSP) domain, and a potential C-terminal transmembrane domain. MOSPD2 is a member of the vesicle-associated membrane protein-associated protein (VAP) family and one of the endoplasmic reticulum (ER) receptors that function as tether proteins to bridge ER and other organelles to build contacts (PMID: 29858488, 35389430).

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 83398-1-RR (MOSPD2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




WB result of MOSPD2 antibody (83398-1-RR; 1:40000; incubated at room temperature for 1.5 hours) with sh-Control and sh-MOSPD2 transfected HeLa cells.




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 83398-1-RR (MOSPD2 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse placenta tissue slide using 83398-1-RR (MOSPD2 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



1x10^6 A431 cells were intracellularly stained with 0.25 ug MOSPD2 Recombinant antibody (83398-1-RR, Clone:240282C11) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Biolayer interferometry (BLI) kinetic assays of 83398-1-RR against Human MOSPD2 were performed. The affinity constant is 0.245 nM.