For Research Use Only

Synaptotagmin-1 Recombinant antibody

Catalog Number:83637-4-RR



Basic Information

Applications

Catalog Number: GenBank Accession Number: 83637-4-RR BC058917

GeneID (NCBI): Concentration: 1000 ug/ml 6857

UNIPROT ID: Source: Rabbit P21579 Full Name: Isotype: synaptotagmin I Calculated MW: Immunogen Catalog Number: 48 kDa

Observed MW: 60 kDa

Positive Controls:

WB, IHC, IF/ICC, ELISA WB: mouse brain tissue, mouse cerebellum tissue, rat

Species Specificity: brain tissue human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Tested Applications:

Purification Method:

Protein A purfication

WB 1:2000-1:16000 IHC 1:1000-1:4000

IF/ICC 1:125-1:500

Recommended Dilutions:

CloneNo.:

240589F6

IHC: mouse brain tissue,

IF/ICC: SH-SY5Y cells,

Background Information

The synaptotagmins are integral membrane proteins of synaptic vesicles thought to serve as Ca(2+) sensors in the process of vesicular trafficking and exocytosis (PMID: 8058779). SYT1 (synaptotagmin I) was firstly identified as a 65-kDa protein with a wide distribution in neuronal and neurosecretory tissue (PMID: 7298720). Calcium binding to SYT1 participates in triggering neurotransmitter release at the synapse (PMID: 11242035). In addition to regulating exocytosis, SYT1 has also been implicated in endocytosis and neurite outgrowth (PMID: 15492212; 11078930; 10336114). This antibody recognizes endogenous SYT1, which has an experimentally determined molecular mass of 65-68 kDa. An additional band of 47 kDa could also be detected, which is corresponding to the calculated molecular weight of SYT1.

Storage


Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 83637-4-RR (Synaptotagmin-1 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 83637-4-RR (Synaptotagmin-1 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed SH-SY5Y cells using Synaptotagmin-1 antibody (83637-4-RR, Clone: 240589F6) at dilution of 1:250 and Coralite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Immunofluorescent analysis of (4% PFA) fixed SH-SY5Y cells using Synaptotagmin-1 antibody (83637-4-RR, Clone: 240589F6) at dilution of 1:250 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Biolayer interferometry (BLI) kinetic assays of 83637-4-RR against Human Synaptotagmin-1 were performed. The affinity constant is 20.5 nM.